

Page: 1/11

Printing date: June 06, 2018 Revision: June 06, 2018

#### 1 Identification

· Product identifier

· Trade name: 505 CRF Fuel System Treatment

· Product code: DSI 1030

· Recommended use and restriction on use

· Recommended use: Automotive Care.

· Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

ATS Chemical LLC 515 Wyoming Blvd SE, Suite A Albuquerque, NM 87123 505-265-5077 sales@atsnm.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

Flam. Lig. 3 H226 Flammable liquid and vapor.

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS02 GHS07 GHS08

· Signal word: Danger

· Hazard statements:

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Cont'd. on page 2)





Printing date: June 06, 2018 Revision: June 06, 2018

## **Trade name: 505 CRF Fuel System Treatment**

|                | (Cont'd. of pac   | <br>ae 1) |
|----------------|---|-----------|
| P233           | Keep container tightly closed.  | ,,        |
| P240           | Ground/bond container and receiving equipment.  |           |
| P241           | Use explosion-proof electrical/ventilating/lighting/equipment.  |           |
| P242           | Use only non-sparking tools.  |           |
| P243           | Take precautionary measures against static discharge.   |           |
| P261           | Avoid breathing mist, vapors, or spray.   |           |
| P264           | Wash thoroughly after handling.   |           |
| P270           | Do not eat, drink or smoke when using this product.   |           |
| P272           | Contaminated work clothing must not be allowed out of the workplace.  |           |
| P280           | Wear protective gloves and eye protection.  |           |
| P301+P310      | If swallowed: Immediately call a poison center/doctor.  |           |
| P330           | Rinse mouth.  |           |
| P331           | Do NOT induce vomiting.   |           |
| P303+P361+P353 | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wi water/shower.                           | th        |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing. | s, if     |
| P333+P313      | If skin irritation or rash occurs: Get medical advice/attention.  |           |
| P337+P313      | If eye irritation persists: Get medical advice/attention.   |           |
| P362+P364      | Take off contaminated clothing and wash it before reuse.  |           |
| P370+P378      | In case of fire: Use foam, powder, or carbon dioxide for extinction.  |           |
| P403+P235      | Store in a well-ventilated place. Keep cool.  |           |
| P405           | Store locked up.  |           |
| P501           | Dispose of contents/container in accordance with local/regional/national/internation regulations.                           | ıal       |

· Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

| Componen | ts:  |        |
|----------|--|--------|
|          | Trade Secret Ingredient  Flam. Liq. 3, H226  Skin Irrit. 2, H315; Skin Sens. 1, H317   | 50-60% |
|          | Trade Secret Ingredient  Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317 | 30-40% |
|          | Trade Secret Ingredient  Org. Perox. D, H242   | 5-10%  |

## · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

(Cont'd. on page 3)



Page: 3/11

Printing date: June 06, 2018 Revision: June 06, 2018

Trade name: 505 CRF Fuel System Treatment

(Cont'd. of page 2)

#### · Description of first aid measures

#### · After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing.

Seek medical help for symptoms or if unconscious.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

#### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Remove contact lenses if worn.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

#### · Most important symptoms and effects, both acute and delayed:

Breathing difficulty

Dizziness

Coughing

Allergic reactions

Irritating to eyes and skin.

Gastric or intestinal disorders when ingested.

#### · Danger:

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Danger of impaired breathing.

#### · Indication of any immediate medical attention and special treatment needed:

If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

Later observation for pneumonia and pulmonary edema.

## 5 Fire-fighting measures

#### Extinguishing media

#### · Suitable extinguishing agents:

Foam

Gaseous extinguishing agents

Carbon dioxide

Fire-extinguishing powder

Water fog / haze

### · For safety reasons unsuitable extinguishing agents:

Water stream.

Water spray

#### · Special hazards arising from the substance or mixture

Flammable liquid and vapor.

Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 4)



Page: 4/11

Printing date: June 06, 2018 Revision: June 06, 2018

Trade name: 505 CRF Fuel System Treatment

(Cont'd. of page 3)

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered containers with water fog.

Use large quantities of foam as it is partially destroyed by the product.

#### 6 Accidental release measures

## · Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

For large spills, wear protective clothing.

#### · Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

# · Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling

#### · Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Avoid contact with the eves and skin.

Avoid breathing mist, vapors, or spray,

Open and handle receptacle with care.

Keep out of reach of children.

#### · Information about protection against explosions and fires:

Flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

### · Conditions for safe storage, including any incompatibilities

#### · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

(Cont'd. on page 5)



Page: 5/11

Printing date: June 06, 2018 Revision: June 06, 2018

Trade name: 505 CRF Fuel System Treatment

(Cont'd. of page 4)

Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

## 8 Exposure controls/personal protection

#### · Control parameters

| · Components w          | Components with limit values that require monitoring at the workplace: |  |  |  |  |
|-------------------------|--|--|--|--|--|
| Trade Secret Ingredient |  |  |  |  |  |
| WEEL (USA)              | Long-term value: 30 ppm  |  |  |  |  |
| Trade Secret In         | ngredient  |  |  |  |  |
| PEL (USA)               | Long-term value: 560 mg/m³, 100 ppm                                    |  |  |  |  |
| REL (USA)               | Long-term value: 560 mg/m³, 100 ppm                                    |  |  |  |  |
| TLV (USA)               | Long-term value: 112 mg/m³, 20 ppm DSEN                                |  |  |  |  |
| EL (Canada)             | Long-term value: 20 ppm S(D)   |  |  |  |  |
| EV (Canada)             | Long-term value: 20 ppm  |  |  |  |  |
| LMPE (Mexico)           | Long-term value: 20 ppm<br>A4, SEN                                     |  |  |  |  |

#### · Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eve protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

(Cont'd. on page 6)





Printing date: June 06, 2018 Revision: June 06, 2018

Trade name: 505 CRF Fuel System Treatment

No relevant information available.

(Cont'd. of page 5)

· Risk management measures No relevant information available.

# • Information on basic physical and chemical properties • Appearance: Form: Liquid

Form: Liquid
Color: Clear

Odor: Characteristic

Odor threshold: Not determined.pH-value: Not determined.

Melting point/Melting range:
Boiling point/Boiling range:
Not determined.
162.2-218.9 °C (324-426 °F)

• Flash point: 55.6 °C (132 °F)

• Flammability (solid, gaseous): Not applicable.

Auto-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· Danger of explosion: Not determined.

· Explosion limits

Lower: Not determined.
Upper: Not determined.
Oxidizing properties: Not determined.

· Vapor pressure at 37.8 °C (100 °F): 0.8

· Density:

Relative density: 0.8602

Vapor density:Not determined.Evaporation rate:Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

**Dynamic:** Not determined. **Kinematic:** Not determined.

• Other information No relevant information available.

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.

(Cont'd. on page 7)



Page: 7/11

Printing date: June 06, 2018 Revision: June 06, 2018

Trade name: 505 CRF Fuel System Treatment

(Cont'd. of page 6)

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Flammable liquid and vapor.

Reacts with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Harmful if swallowed.
- · LD/LC50 values that are relevant for classification:

**Trade Secret Ingredient** 

Inhalative LC50/4h 13.7 mg/l (rat)

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · **Aspiration hazard:** May be fatal if swallowed and enters airways.



Page: 8/11

Printing date: June 06, 2018 Revision: June 06, 2018

Trade name: 505 CRF Fuel System Treatment

(Cont'd. of page 7)

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity Toxic to aquatic life with long lasting effects.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Avoid release to the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· Other adverse effects No relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

| · UN-Number                |                    |
|----------------------------|--------------------|
| DOT                        | Not regulated.     |
| · ADR, IMDG, IATA          | UN2052             |
| · UN proper shipping name  |                    |
| DOT                        | Not regulated.     |
| · ADR, IMDG, IATA          | DIPENTENE, Mixture |
| Transport hazard class(es) |                    |
| DOT                        |                    |
| · Class                    | Not regulated.     |
| · ADR                      |                    |
|                            |                    |
| · Class                    | 3 (F1)             |
| · Label                    | 3 '                |

(Cont'd. on page 9)



Page: 9/11

Printing date: June 06, 2018 Revision: June 06, 2018

Trade name: 505 CRF Fuel System Treatment

(Cont'd. of page 8) · IMDG, IATA · Class 3 · Label 3 · Packing group · DOT Not regulated. · ADR, IMDG, IATA · Environmental hazards Product contains environmentally hazardous substances: Limonene, Turpentine, oil · Marine pollutant: Yes · Special precautions for user Warning: Flammable liquids Danger code (Kemler): · EMS Number: F-E,S-E · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Remarks: Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882

· ADR



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

pounds) for a solid.

Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 5.2.1.8.1)

#### · IMDG



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

(Cont'd. on page 10)



Page: 10/11

Printing date: June 06, 2018 Revision: June 06, 2018

Trade name: 505 CRF Fuel System Treatment

(Cont'd. of page 9)

Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 2.10.2.7)

·IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each / 10 L net.

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- · SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any (Cont'd. on page 11)



Page: 11/11

Printing date: June 06, 2018 Revision: June 06, 2018

Trade name: 505 CRF Fuel System Treatment

(Cont'd. of page 10)

specific product features and shall not establish a legally valid contractual relationship.

#### **Hazardous Material Identification System (HMIS):**

HEALTH: 2

FLAMMABILITY: 2 PHYSICAL HAZARD: 0

· Date of preparation / last revision June 06, 2018 / -

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3
Org. Perox. D: Organic peroxides – Type C/D
Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com