

acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

SECTION 1: Identification

1.1 Product identifier

Trade name A/C Pro Vent & Duct Cleaner - Aerosol

Authorization number Level 1 Aerosol US MX

UPC(s) 048168179008

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

e-mail: energizer@custhelp.com Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
B.3	flammable aerosol	2	Flam. Aerosol 2	H223
B.5	gases under pressure	С	Press. Gas C	H280

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Contains gas under pressure; may explode if heated.

United States: en Page: 1 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS02, GHS04



- Hazard statements

H223 Flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.
P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Fluorinated alkane	CAS No trade secret	10 - < 25	Flam. Gas 1 / H220 Press. Gas C / H280	
isopropyl alcohol	CAS No 67-63-0	1-<5	Eye Irrit. 2 / H319 STOT SE 3 / H336 Flam. Liq. 2 / H225	(1)
1-butoxypropan-2-ol	CAS No 5131-66-8	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 3 / H226	⋄ ••••••••••••••••••••••••••••••••••••

United States: en Page: 2 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
morpholine	CAS No 110-91-8	<1	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 4 / H332 Skin Corr. 1B / H314 Flam. Liq. 3 / H226	

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

United States: en Page: 3 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

United States: en Page: 4 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

Frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	morpholine	110-91-8	REL	20 (10 h)	70 (10 h)	30	105				NIOSH REL
US	morpholine	110-91-8	TLV®	20							AC- GIH® 2019
US	morpholine	110-91-8	PEL	20	70						29 CFR 1910.1 000
US	morpholine (tet- rahydro-2H-1,4- oxazine)	110-91-8	PEL (CA)	20	70	30	105				Cal/ OSHA PEL
US	2-propanol	67-63-0	TLV®	200		400					AC- GIH® 2019
US	isopropyl alcohol	67-63-0	PEL (CA)	400	980	500	1,225				Cal/ OSHA PEL
US	isopropyl alcohol	67-63-0	REL	400 (10 h)	980 (10 h)	500	1,225				NIOSH REL
US	isopropyl alcohol	67-63-0	PEL	400	980						29 CFR 1910.1 000

United States: en Page: 5 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Notation

Ceiling-C STEL

ceiling value is a limit value above which exposure should not occur short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified) TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified

Biological limit values

Country	Name of agent	Parameter	Nota- tion	Identifier	Value	Source
US	isopropanol	acetone		BEI®	40 mg/l	ACGIH® 2019

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Fluorinated alkane	trade secret	DNEL	2,713 mg/ m³	human, inhalatory	worker (industry)	chronic - system- ic effects
isopropyl alcohol	67-63-0	DNEL	888 mg/kg	human, dermal	worker (industry)	chronic - system- ic effects
isopropyl alcohol	67-63-0	DNEL	500 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
1-butoxypropan-2-ol	5131-66-8	DNEL	147 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
1-butoxypropan-2-ol	5131-66-8	DNEL	52 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
morpholine	110-91-8	DNEL	91 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
morpholine	110-91-8	DNEL	36 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
morpholine	110-91-8	DNEL	72 mg/m³	human, inhalatory	worker (industry)	acute - local ef- fects
morpholine	110-91-8	DNEL	1.04 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Fluorinated alkane	trade secret	PNEC	0.048 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)

United States: en Page: 6 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Fluorinated alkane	trade secret	PNEC	0.019 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Fluorinated alkane	trade secret	PNEC	0.0048 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
Fluorinated alkane	trade secret	PNEC	0.19 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Fluorinated alkane	trade secret	PNEC	0.141 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Fluorinated alkane	trade secret	PNEC	0.48 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
isopropyl alcohol	67-63-0	PNEC	140.9 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	140.9 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	2,251 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	160 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	28 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	140.9 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
1-butoxypropan-2-ol	5131-66-8	PNEC	0.525 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
1-butoxypropan-2-ol	5131-66-8	PNEC	0.052 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
1-butoxypropan-2-ol	5131-66-8	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
1-butoxypropan-2-ol	5131-66-8	PNEC	2.36 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
1-butoxypropan-2-ol	5131-66-8	PNEC	0.236 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)

United States: en Page: 7 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
1-butoxypropan-2-ol	5131-66-8	PNEC	0.16 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
morpholine	110-91-8	PNEC	0.163 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
morpholine	110-91-8	PNEC	0.016 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
morpholine	110-91-8	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
morpholine	110-91-8	PNEC	1.83 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
morpholine	110-91-8	PNEC	0.183 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
morpholine	110-91-8	PNEC	0.269 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

During spraying wear suitable respiratory equipment.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United States: en Page: 8 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	aerosol (spray aerosol)
Color	various
Odor	characteristic

Other safety parameters

m11 (ml , m)	no at allata gradino al
pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	flammable aerosol in accordance with GHS criteria

Explosive limits

- Lower explosion limit (LEL)	3.7 vol%
- Upper explosion limit (UEL)	18 vol%
Vapor pressure	514,624 Pa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available

United States: en Page: 9 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Auto-ignition temperature	440 °C
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Solvent content	89.96 %
Solid content	0.0423 %
Propellant content	10 %
Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure. Risk of ignition.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United States: en Page: 10 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
morpholine	110-91-8	oral	1,900 ^{mg} / _{kg}
morpholine	110-91-8	dermal	500 ^{mg} / _{kg}
morpholine	110-91-8	inhalation: vapor	11 ^{mg} / _l /4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
isopropyl alcohol	67-63-0	3	
morpholine	110-91-8	3	

Legend

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

United States: en Page: 11 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 12 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

SECTION 14: Transport information

14.1 UN number 1950

14.2 UN proper shipping name Aerosols

14.3 Transport hazard class(es)

Class 2.1 (gases) (aerosol) (flammable)

14.4 Packing group not assigned to a packing group

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number 1950
Proper shipping name Aerosols

- Particulars in the shipper's declaration UN1950, Aerosols, 2.1

- Reportable quantity (RQ) 462,962,963 lbs (210,185,185 kg) (ethylenediamine)

Class 2.1 Danger label(s) 2.1



Special provisions (SP) N82 ERG No 126

International Maritime Dangerous Goods Code (IMDG)

UN number 1950

Proper shipping name AEROSOLS

- Particulars in the shipper's declaration UN1950, AEROSOLS, 2.1

Class 2.1
Marine pollutant Danger label(s) 2.1

United States: en Page: 13 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U

Stowage category -

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1950

Proper shipping name Aerosols, flammable

- Particulars in the shipper's declaration UN1950, Aerosols, flammable, 2.1

Class 2.1 Danger label(s) 2.1



Special provisions (SP) A145, A167

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
isopropyl alcohol	67-63-0	only persons who manufacture by the strong acid process are sub- ject, supplier notification not re- quired	1987-01-01

United States: en Page: 14 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Clean Air Act

Name of substance	CAS No	Type of registra- tion	Basis for listing	Threshold quantity (lbs)
Fluorinated alkane	75-37-6	Flammable sub- stance	f	10000

Legend


f Flammable gas.

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
Fluorinated alkane	trade secret	fragrance	
Isopropyl alcohol	67-63-0	diluent	OEHHA RELS
1-Butoxypropan-2-ol	5131-66-8	solvents	
Morpholine	110-91-8	corrosion inhibitor	
Dihydromyrcenol	18479-58-8	fragrance	
Propylene Glycol 2-Butyl Ether	15821-83-7	solvents	
Hedione	24851-98-7	fragrance	
Disodium Lauryl Phenyl Ether Disulfonate	119345-04-9	cleaning agent	
Lilial	80-54-6	fragrance	EU Fragrance Allergens
Hexyl salicylate	6259-76-3	fragrance	
Linalool	78-70-6	fragrance	EU Fragrance Allergens
Aquanal	1205-17-0	fragrance	
Methyl anthranilate	134-20-3	fragrance	
Dorisyl	32210-23-4	fragrance	
3-(P-methoxyphenyl)-2-methylpropionalde- hyde	5462-06-6	fragrance	
2-Methoxyethanol	109-86-4	solvents	CA TACs EC Annex VI CMRs - Cat. 1B OEHHA RELs Prop 65
Ethylenediamine	107-15-3	solvents	EC Annex VI Resp. Sens Cat. 1
Sodium sulphate	7757-82-6	filler	

United States: en Page: 15 / 21





A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Name of substance	CAS No	Functionality	Authoritative Lists
N-Ethylmorpholine	100-74-3	corrosion inhibitor	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
isopropyl alcohol	67-63-0				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
isopropyl alcohol	67-63-0	A, N, O	

Legend

- American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

 National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards,"
- N National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
isopropyl alcohol	67-63-0		F3
morpholine	110-91-8		CO F3 R1
Fluorinated alkane	75-37-6		F4

Legend

CO Corrosive

F3 Flammable - Third Degree F4 Flammable - Fourth Degree R1 Reactive - First Degree


- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
2-PROPANOL	67-63-0	Е

Legend

E Environmental hazard

United States: en Page: 16 / 21





A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
isopropyl alcohol	67-63-0	T, F
morpholine	110-91-8	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
ethylene glycol monomethyl ether	109-86-4		developmental, male

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions

United States: en Page: 17 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Category	Degree of hazard	Description
Special hazard		

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed or exempt from listing
CA	DSL	all ingredients are listed or exempt from listing
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed or exempt from listing
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed or exempt from listing
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed or exempt from listing
PH	PICCS	all ingredients are listed or exempt from listing
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed or exempt from listing

Legend

AICS Australian Inventory of Chemical Substances CICR

CSCL-ENCS

DSL

ECSI

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances **IECSC**

National Inventory of Chemical Substances **INSQ**

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

New Zealand Inventory of Chemicals

Philippine Inventory of Chemicals and Chemical Substances

REACH registered substances KECI NZIoC

PICCS

REACH Reg. Taiwan Chemical Substance Inventory TCSI **TSCA Toxic Substance Control Act**

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

United States: en Page: 18 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

United States: en Page: 19 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mix-

ture (additivity formula).

United States: en Page: 20 / 21



acc. to 29 CFR 1910.1200 App D

A/C Pro Vent & Duct Cleaner - Aerosol

Version number: 1.0 Date of compilation: 2020-06-28

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H220	Extremely flammable gas.
H223	Flammable aerosol.
H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 21 / 21