848404681

Page 1/9

# Safety data sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Revision: 04/20/2014

## 1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: NAPA Hydraulic Jack Oil
- · Application of the substance / the preparation Lubricating oil
- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier: AOC Oil, Inc. Tampa, FL 33605 MADE IN THE USA
- **1.4 Emergency telephone number:** ChemTel Inc. (800)255-3924, +1 (813)248-0585

# **2 Hazards identification**

<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>The product is not classified according to the CLP regulation.</li> </ul>		
<ul> <li>Classification according to Directive 67/548/EEC or Directive 67/548/EEC or Directive 67/548/EEC or Directive 10 concerning particular hazards for human and the product does not have to be labeled due to the calculat guideline for preparations of the EU" in the latest valid version</li> <li>Classification system:</li> </ul>	<b>d environment:</b> tion procedure of the "General Classification	
The classification is according to the latest editions of the literature data.	e EU-lists, and extended by company and	
The classification is in accordance with the latest edition supplemented by information from technical literature and by		

- · Hazard statements N/A
- · Hazard description:
- WHMIS-symbols: Not hazardous under WHMIS.

(Contd. on page 2)

Revision:4/20/2014

#### Trade name: NAPA Hydraulic Jack Oil

(Contd. of page 1)

#### · HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

## · 2.3 Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### **3** Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	15%
EINECS: 265-157-1	substance with a Community workplace exposure limit	
Index number: 649-467-00-8	Carc. Cat. 2	
CAS: 64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	85%
EINECS: 265-155-0	Carc. Cat. 2	
Index number: 649-465-00-7		

#### Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements. For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

4.1 Description of first aid measures
General information: No special measures required.
After inhalation: Supply fresh air; consult doctor in case of complaints.
After skin contact:
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.

After eye contact:
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Revision:4/20/2014

(Contd. of page 2)

#### Trade name: NAPA Hydraulic Jack Oil

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **5 Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Carbon dioxide Water haze or fog Foam Fire-extinguishing powder
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Carbon monoxide (CO) Sulphur dioxide (SO2)

 5.3 Advice for firefighters
 Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.

### 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
   Ensure adequate ventilation
   Wear protective equipment. Keep unprotected persons away.

   6.2 Environmental precautions:
   Do not allow to enter sewers/ surface or ground water.
   Prevent from spreading (e.g. by damming-in or oil barriers).

   6.3 Methods and material for containment and cleaning up:
   Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
   Send for recovery or disposal in suitable receptacles.
   Do not flush with water or aqueous cleansing agents

   6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

### 7 Handling and storage

- · 7.1 Precautions for safe handling Avoid the formation of oil haze.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

Revision:4/20/2014

#### Trade name: NAPA Hydraulic Jack Oil

(Contd. of page 3)

• Information about storage in one common storage facility: Store away from foodstuffs.

Store away from oxidizing agents.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

PEL (USA) 5 mg/m<sup>3</sup>

TLV (USA) Short-term value: 10 mg/m<sup>3</sup>

Long-term value: 5 mg/m<sup>3</sup>

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes.

### Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

Oil resistant gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Safety glasses

(Contd. on page 5)

Revision:4/20/2014

# Trade name: NAPA Hydraulic Jack Oil

Goggles recommended during refilling

· 9.1 Information on basic physical a	and chamical properties	
· General Information	and chemical properties	
· Appearance:		
Form:	Oily	
Colour:	Amber coloured	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	210°C (410°F)	
$\cdot$ Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20°C:	0,87 g/cm³	
· Relative density	Not determined.	
<ul> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	Not determined.	
	Not determined.	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): > 2,0 log POVV (Estimate)	
· Viscosity:	00	
Viscosity Index: Kinematic at 40℃:	32 37 - St (F 7 - St @ 1008)	
	37 cSt (5,7 cSt @ 100°C)	
· Solvent content:	0.0.%	
Organic solvents:	0,0 %	

(Contd. of page 4)

Revision:4/20/2014

(Contd. of page 5)

Trade name: NAPA Hydraulic Jack Oil

· 9.2 Other information

No further relevant information available.

### **10 Stability and reactivity**

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents.
- 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Possible in traces. Sulphur oxides (SOx) Nitrogen oxides (NOx)

### **11 Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values relevant for classification:

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Slight irritant effect on eyes.
- Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

# **12 Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: The material is harmful to the environment.
- · 12.2 Persistence and degradability Not easily biodegradable
- 12.3 Bioaccumulative potential May be accumulated in organism
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 7)

Revision:4/20/2014

#### Trade name: NAPA Hydraulic Jack Oil

(Contd. of page 6)

## $\cdot$ Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even small quantities leak into the ground.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be reused after reprocessing.

Delivery of waste oil to officially authorized collectors only.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number		
DOT, ADN, IMDG, IATA	N/A	
14.2 UN proper shipping name DOT, ADR, ADN, IMDG, IATA	N/A	
14.3 Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	N/A	
14.4 Packing group DOT, ADR, IMDG, IATA	N/A	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann MARPOL73/78 and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":		

(Contd. on page 8)

Revision:4/20/2014

Trade name: NAPA Hydraulic Jack Oil

(Contd. of page 7)

<ul> <li>15.1 Safety, health and environmental regulations/legislation specific f</li> <li>United States (USA)</li> <li>SARA</li> </ul>	or the substance or mixture
• Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
• MAK (German Maximum Workplace Concentration)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	

Revision:4/20/2014

#### Trade name: NAPA Hydraulic Jack Oil

(Contd. of page 8)

#### · Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

· Sources

The manufacturer believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty of fitness, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or process. Further, since the conditions and methods of use of this product and of the information referred to herein are beyond the control of the manufacturer, the manufacturer expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

This document was authored and reviewed by the technical and scientific staff at ChemTel Inc. Descriptions, classifications and calculations are based upon data provided by manufacturer and augmented by published data in conjunction with expert analysis by degreed scientists.

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

