

# Royal Purple, LLC

### Material Safety Data Sheet

Date Issued/Revised: June 4, 2013

Product Name: Royal Purple® HMX Motor Oil, SAE 5W-30

Chemical Family: Synthetic based lubricating oil

Use: Lubricant and corrosion inhibitor Manufacturer: Royal Purple, LLC

Address: 1 Royal Purple Lane, Porter, Texas 77365 USA

Phone: 281-354-8600 Emergency Phone: 281-354-8600 Fax: 281-354-7600

24 Hour Emergency Numbers USA:800-424-9300 International: 703-527-3887 (collect calls accepted)

### II. Components:

- Base Oil (synthetic) Synthetic additives with iso-paraffinic diluents.
- The precise composition of this oil is proprietary. A more complete disclosure will be provided to a physician or nurse in the event of a medical emergency.
- All components of this product are listed on the U.S. TSCA inventory.
- This product contains no hazardous substances within the definition of OSHA Regulation 29 CFR 1910.1200.
- Royal Purple certifies that this product has been evaluated for RCRA characteristics and does not meet the criteria of a hazardous waste if discarded in its purchased form.

### III. Main Hazards / Health Effects:

Eyes: May cause irritation.

Inhalation: Oil mist may line breathing passages with oil making breathing difficult.

Ingestion: May cause diarrhea.

Skin: May irritate the skin after prolonged periods of contact.

### IV. First Aid:

Eyes: Flush with water until all residual material is gone. If irritation persists, seek medical help.

Inhalation: Clear air passage. If respiratory difficulty continues, seek medical help.

Ingestion: Wash out mouth immediately. Do not induce vomiting. Consult physician.

Skin: Wash thoroughly with hand cleanser, followed by soap and water. Contaminated clothing should be dry cleaned before reuse.

### V. Extinguishing Media:

Suitable: Foam, dry powder, Halon®, carbon dioxide, sand, earth and water mist.

Unsuitable: Water jet.

Protective Equipment for Fire Fighting: Self-contained breathing apparatus.

### VI. Accidental Release Measures:

Personal Precautions: Wear gloves and protective overalls.

Environmental Precautions: Do not allow it to enter drains.

Spillage: Contain spill and keep from entering waterways. Absorb on porous material. Large quantities can be pumped.

### VII. Handling and Storage:

Handling: No special handling precautions necessary.

Storage: Do not store at elevated temperatures.

### VIII. Exposure Control / Personal Protection:

Respiratory Protection: Hydrocarbon absorbing respirator if misting.

Hand Protection: Oil-proof gloves for hypersensitive persons.

Eye Protection: Glasses, if applied to parts in motion.

Body Protection: Overalls.

### |X Physical and Chemical Properties:

Physical State: Liquid

Color: Purple Odor: Lube Oil pH: Neutral

Boiling Range / Point °F (°C): >420 (>216)

Pour Point °F (°C):-54 (-48)

Flash Point (COC) °F (°C):434 (223)

Autoignition Temperature °F (°C): >600 (>315)

Evaporation Rate (Butyl Acetate = 1): Negligible

Vapor Pressure (kPa): <0.1 Percent Volatiles: None Density (g/cm³): 0.864

Flammability: Not flammable at ambient temp.

OAR Value: UN

Oxidizing Properties: None Water Solubility: Emulsifiable Vapor Density: Greater than air

### Product Name: Royal Purple® HMX Motor Oil, SAE 5W-30

### Stability and Reactivity: X.

Stability: Chemically stable under normal conditions. No photoreactive agents.

Conditions to Avoid: Powerful sources of ignition and extreme temperatures.

Materials to Avoid: Strong inorganic and organic acids, oxidizing agents.

Hazardous Decomposition Products: Burning generates smoke, airborne soot, hydrocarbons and oxides of carbon, sulfur and nitrogen. Residue mainly comprised of soot and mineral oxides.

#### XI. Toxicological Information:

Acute Toxicity: Not known Irritancy-Skin: Very mild

Skin Sensitization: Not known

Subacute / Sub-chronic Toxicity: Not known

Genotoxicity: None known Chronic Toxicity: None known California Prop 65: N/A Carcinogen: NTP: No

IARC: No OSHA: No

EC Classification (67 / 548 / EEC): No

LD-50: >2000mg/kg - extrapolated from component data

LC-50: Not applicable

### XII. **Ecological Information:**

Possible Effects: When released into the environment, adsorption to sediment and soil will be the predominant

behavior.

Behavior: Relatively well behaved. Bioaccumulation potential nil.

Environmental Fate: Due to its fluid nature and specific gravity, this product will float or spread across water making it a nuisance contaminant. It is not thought to be toxic to marine or land organisms.

### XIII. Waste and Container Disposal:

Waste Disposal: Consider recycling. This product, as sold, does not meet the RCRA characteristics of a hazardous waste. Under RCRA, it is the responsibility of the user, at the time of disposal, to determine whether the product meets the RCRA criteria for hazardous waste. Contact a waste disposal company or local authority for advice. Container Disposal: See waste disposal section listed above.

### XIV. Transport Information:

Air Transport (ICAO, IATA): Bulk Nonhazardous DOT: Nonhazardous Sea Transport (IMO, IMDG): Bulk Nonhazardous

UN No.: N/A DOT: Nonhazardous Road and Rail Transport (ADR / RID): Bulk Nonhazardous

XV. Regulatory Information:

Labeling Information: None needed

EC Annex 1 Class.: N/A

R Phrases: N/A SARA 311 / 312: None

S Phrases: S-3 keep cool, S-16 keep away from ignition

Ozone Depleting Chemicals: N/A

CERCLA: Nonhazardous TSCA: All components are listed WHMIS (Canada): Not regulated

Canadian DSL: All components are listed 40 CFR Part 372 (SARA Section 313): N/A RCRA Hazard Class: Nonhazardous TSCA 12B Components: None

### XVI. Other Information:

### LEGEND


- Identification of the Substance / Preparation and Company 1
- II. Composition Information on Ingredients
- Hazards Identification
- IV First Aid Measures
- V. Fire Fighting Measures
- VI. Accidental Release Measures
- VII Handling and Storage
- Exposure Control / Personal Protection
- IX. Physical and Chemical Properties
- Χ Stability and Reactivity
- Toxicological Information XI.
- **Ecological Information** XII
- XIII. Waste Disposal
- XIV. Transport Information
- ΧV Regulatory Information
- XVI. Other Information

## Wille J. Car Signature:

Prepared By: W.J. Carter, Ph.D.

Date Issued/Revised: June 4, 2013

As of issue date, the information contained herein is accurate and reliable to the best of Royal Purple's knowledge. Royal Purple does not warrant or guarantee its accuracy or reliability and shall not be liable for any loss or damage arising out of the use thereof. It is the user's responsibility to satisfy itself that the information offered for its consideration is suitable for its particular use.



### HMIS SYMBOL

| HEALTH       | 0 |
|--------------|---|
| FLAMMABILITY | 1 |
| REACTIVITY   | 0 |
| PPI          | В |



# Royal Purple, LLC

### Material Safety Data Sheet

Date Issued/Revised: June 4, 2013

Product Name: Royal Purple® HMX Motor Oil, SAE 10W-30

Chemical Family: Synthetic based lubricating oil

Use: Lubricant and corrosion inhibitor Manufacturer: Royal Purple, LLC

Address: 1 Royal Purple Lane, Porter, Texas 77365 USA

Phone: 281-354-8600 Emergency Phone: 281-354-8600 Fax: 281-354-7600

24 Hour Emergency Numbers USA:800-424-9300 International: 703-527-3887 (collect calls accepted)

### II. Components:

- Base Oil (synthetic) Synthetic additives with iso-paraffinic diluents.
- The precise composition of this oil is proprietary. A more complete disclosure will be provided to a physician or nurse in the event of a medical emergency.
- All components of this product are listed on the U.S. TSCA inventory.
- This product contains no hazardous substances within the definition of OSHA Regulation 29 CFR 1910.1200.
- Royal Purple certifies that this product has been evaluated for RCRA characteristics and does not meet the criteria of a hazardous waste if discarded in its purchased form.

### III. Main Hazards / Health Effects:

Eyes: May cause irritation.

Inhalation: Oil mist may line breathing passages with oil making breathing difficult.

Ingestion: May cause diarrhea.

Skin: May irritate the skin after prolonged periods of contact.

### IV. First Aid:

Eyes: Flush with water until all residual material is gone. If irritation persists, seek medical help.

Inhalation: Clear air passage. If respiratory difficulty continues, seek medical help.

Ingestion: Wash out mouth immediately. Do not induce vomiting. Consult physician.

Skin: Wash thoroughly with hand cleanser, followed by soap and water. Contaminated clothing should be dry cleaned before reuse.

### V. Extinguishing Media:

Suitable: Foam, dry powder, Halon®, carbon dioxide, sand, earth and water mist.

Unsuitable: Water jet.

Protective Equipment for Fire Fighting: Self-contained breathing apparatus.

### VI. Accidental Release Measures:

Personal Precautions: Wear gloves and protective overalls.

Environmental Precautions: Do not allow it to enter drains.

Spillage: Contain spill and keep from entering waterways. Absorb on porous material. Large quantities can be pumped.

### VII. Handling and Storage:

Handling: No special handling precautions necessary.

Storage: Do not store at elevated temperatures.

### VIII. Exposure Control / Personal Protection:

Respiratory Protection: Hydrocarbon absorbing respirator if misting.

Hand Protection: Oil-proof gloves for hypersensitive persons.

Eye Protection: Glasses, if applied to parts in motion.

Body Protection: Overalls.

### |X Physical and Chemical Properties:

Physical State: Liquid

Color: Purple Odor: Lube Oil pH: Neutral

Boiling Range / Point °F (°C): >420 (>216)

Pour Point °F (°C):-49 (-45)

Flash Point (COC) °F (°C):425 (218)

Autoignition Temperature °F (°C): >600 (>315)

Evaporation Rate (Butyl Acetate = 1): Negligible

Vapor Pressure (kPa): <0.1 Percent Volatiles: None Density (g/cm³): 0.86

Flammability: Not flammable at ambient temp.

OAR Value: UN

Oxidizing Properties: None Water Solubility: Emulsifiable Vapor Density: Greater than air

### Stability and Reactivity: X.

Stability: Chemically stable under normal conditions. No photoreactive agents.

Conditions to Avoid: Powerful sources of ignition and extreme temperatures.

Materials to Avoid: Strong inorganic and organic acids, oxidizing agents.

Hazardous Decomposition Products: Burning generates smoke, airborne soot, hydrocarbons and oxides of carbon, sulfur and nitrogen. Residue mainly comprised of soot and mineral oxides.

#### XI. Toxicological Information:

California Prop 65: N/A Acute Toxicity: Not known Carcinogen: NTP: No

Irritancy-Skin: Very mild IARC: No Skin Sensitization: Not known OSHA: No

Subacute / Sub-chronic Toxicity: Not known EC Classification (67 / 548 / EEC): No

Genotoxicity: None known LD-50: >2000mg/kg - extrapolated from component data Chronic Toxicity: None known LC-50: Not applicable

### XII. **Ecological Information:**

Possible Effects: When released into the environment, adsorption to sediment and soil will be the predominant

behavior.

Behavior: Relatively well behaved. Bioaccumulation potential nil.

Environmental Fate: Due to its fluid nature and specific gravity, this product will float or spread across water making it a nuisance contaminant. It is not thought to be toxic to marine or land organisms.

### XIII. Waste and Container Disposal:

Waste Disposal: Consider recycling. This product, as sold, does not meet the RCRA characteristics of a hazardous waste. Under RCRA, it is the responsibility of the user, at the time of disposal, to determine whether the product meets the RCRA criteria for hazardous waste. Contact a waste disposal company or local authority for advice. Container Disposal: See waste disposal section listed above.

### XIV. Transport Information:

Air Transport (ICAO, IATA): Bulk Nonhazardous DOT: Nonhazardous Sea Transport (IMO, IMDG): Bulk Nonhazardous

UN No.: N/A DOT: Nonhazardous

Road and Rail Transport (ADR / RID): Bulk Nonhazardous

### XV. Regulatory Information:

CERCLA: Nonhazardous Labeling Information: None needed

TSCA: All components are listed EC Annex 1 Class.: N/A WHMIS (Canada): Not regulated

R Phrases: N/A Canadian DSL: All components are listed SARA 311 / 312: None 40 CFR Part 372 (SARA Section 313): N/A

S Phrases: S-3 keep cool, S-16 keep away from ignition RCRA Hazard Class: Nonhazardous TSCA 12B Components: None

Ozone Depleting Chemicals: N/A

### XVI. Other Information:

### LEGEND

- Identification of the Substance / Preparation and Company 1
- II.
- Hazards Identification
- IV First Aid Measures
- V. Fire Fighting Measures
- VI. Accidental Release Measures
- VII Handling and Storage
- Exposure Control / Personal Protection
- IX. Physical and Chemical Properties
- Χ Stability and Reactivity
- Toxicological Information XI.
- XIV. Transport Information

- Composition Information on Ingredients

- **Ecological Information** XII
- XIII. Waste Disposal
- ΧV Regulatory Information
- XVI. Other Information



### HMIS SYMBOL

| HEALTH       | 0 |
|--------------|---|
| FLAMMABILITY | 1 |
| REACTIVITY   | 0 |
| PPI          | В |

Signature:

Prepared By: W.J. Carter, Ph.D.

Date Issued/Revised: June 4, 2013

As of issue date, the information contained herein is accurate and reliable to the best of Royal Purple's knowledge. Royal Purple does not warrant or guarantee its accuracy or reliability and shall not be liable for any loss or damage arising out of the use thereof. It is the user's responsibility to satisfy itself that the information offered for its consideration is suitable for its particular use.

Wille J. Car