

# Lubegard® Dr. Tranny's Instant Shudder Fixx Safety Data Sheet Conforms to United States OSHA 2012 HazCom

Date of issue: 07/07/2014 Revision date: 07/18/2018

Version: 1.3

I.1. Product identifier		
Product name	: Lubegard® Dr. Tranny Instant Shudder Fixx	
Product code	: 19610, 19680, 19688, 19689	
1.2.1 Relavant identified uses	I uses of the substance or mixture and uses advised against	
Use of the Substance/Mixture		
1.2.2 Uses advised against		
No additional information avai	lable	
1.3. Details of the supp	blier of the safety data sheet	
Manufacturer		
International Lubricants, Inc. 7930 Occidental Ave. S.		
Seattle, WA 98108		
Telephone(206) 762-5343		
(800) 333-LUBE (5823)		
1.4. Emergency teleph	one number	
Emergency number with hour		
24-hours a day /7 days a wee		
SECTION 2: Hazards in		
2.1. Classification of the	ne substance or mixture	
Classification according to Hazard Class	United States OSHA 2012 HazCom	
Classification according to	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to	United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms	United States OSHA 2012 HazCom ory 1 o United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms	United States OSHA 2012 HazCom ory 1 o United States OSHA 2012 HazCom	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms Control Control Contro	United States OSHA 2012 HazCom o United States OSHA 2012 HazCom Danger	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms Signal Word Hazard Statements	United States OSHA 2012 HazCom ory 1 Dunited States OSHA 2012 HazCom Danger H315 – Causes skin irritation	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms Signal Word Hazard Statements Precautionary Statements	United States OSHA 2012 HazCom or United States OSHA 2012 HazCom Danger H315 – Causes skin irritation H318 - Causes serious eye damage	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms Signal Word Hazard Statements	United States OSHA 2012 HazCom or J Danger H315 – Causes skin irritation H318 - Causes serious eye damage P264 – Wash hands after handling	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms Signal Word Hazard Statements Precautionary Statements	United States OSHA 2012 HazCom or United States OSHA 2012 HazCom Danger H315 – Causes skin irritation H318 - Causes serious eye damage	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms Signal Word Hazard Statements Precautionary Statements Prevention	United States OSHA 2012 HazCom or United States OSHA 2012 HazCom Danger H315 – Causes skin irritation H318 - Causes serious eye damage P264 – Wash hands after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms Signal Word Hazard Statements Precautionary Statements	United States OSHA 2012 HazCom Try 1  Danger H315 – Causes skin irritation H318 - Causes serious eye damage P264 – Wash hands after handling P260 - Wear protective gloves/protective clothing/eye protection/face protection P362 – Take off contaminated clothing and wash before reuse.	
Classification according to Hazard Class Serious Eye Damage, Catego Skin Irritant, Category 2 2.2. Label elements Label elements according to Hazard Pictograms Signal Word Hazard Statements Precautionary Statements Prevention	United States OSHA 2012 HazCom or United States OSHA 2012 HazCom Danger H315 – Causes skin irritation H318 - Causes serious eye damage P264 – Wash hands after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection	

Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

P305+P351+P338 - IF IN EYES: Wash cautiously for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P310 – Immediately call a POISON CENTER or doctor/physician.

Storage	Not applicable
Disposal	P501 - Dispose of contents and container in accordance with all local, regional, national, and international regulations

2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity

87% of the mixture consists of ingredient(s) of unknown acute toxicity

#### SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

#### 3.2. Mixtures

Ingredient Name	CAS Number	Weight %	GHS – OSHA Classification
Lubricating oils, refined , used	68476-77-7	30 - 60	Not Classified
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	30 - 60	Serious Eye Irritation Category 2A
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioatokappa.S,.kappa.S']-, (T-4)-	4259-15-8	7 - 13	Serious Eye Damage Category 1
Ethylbenzene	100-41-4	< 0.1%	Flammable Liquid 2
			Acute Toxicity 4 (inhalation)
			Carcinogen Category 2

SECTION 4 : First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation :	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact :	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact :	In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact lenses. Immediately call a poison center/doctor.
First-aid measures after ingestion :	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek medical attention/advice if you feel unwell.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/injuries after inhalation :	May cause respiratory tract irritation.
Symptoms/injuries after skin contact :	May cause skin irritation. Symptoms may include redness, drying , defatting and cracking of the skin.
Symptoms/injuries after eye contact :	Causes serious eye damage. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion :	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3. Indication of any immediate medical at	tention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTI	ON 5 : Firefighting measures
5.1.	Extinguishing Media

Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

Suitable Extinguishing Media:	Powder, water spray, foam, carbon dioxide.
Unsuitable Extinguishing Media:	Do not use a stream of water.

#### 5.2. Special Hazards Arising from the Chemical

Fire Hazard: May include, but are not limited to oxides of carbon, oxides of phosphorous, sulfur dioxide.

#### 5.4. Special Protective Equipment and Precautions for Fire Fighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

# SECTION 6 : Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. 6.1.2. For emergency responders: No additional information available. 6.2. Methods and material for containment and cleaning up For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow the material to enter waterways. Use appropriate Personal Protective Equipment (PPE). Methods for cleaning up : Vacuum or sweep material and place in a disposal container. Provide ventilation.

SECH	JN 7. Hanuling and Storage		
7.1.	Precautions for safe handling		
Precautio	ons for safe handling	:	Avoid contact with skin and eyes. Do not swallow. Open and handle container with care. When using do not eat, drink or smoke. Do not breathe gas/fumes/vapor/spray. (See Section 8)
General	hygiene advice	:	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2.	Conditions for safe storage, including	ng	any incompatibilities
Storage	conditions	:	Keep out of the reach of children. Keep container tightly closed. Keep away from food, drink and animal feedingstuffs. Do not store at temperatures above 49°C (120°F) (See Section 10)

7.3. Specific End use(s)

Not available.

ECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
Exposure Guidelines				
Occupational Exposure Limits				
Ingredient Name	OSHA-PEL	ACGIH-TLV		
Lubricating oils, refined , used	Not available	Not available		

Lubricating oils, refined, used	Not available	Not available
Amines, C12-14-alkyl, C6-10-alkyl phosphates	Not available	Not available
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioatokappa.S,.kappa.S']-, (T-4)-	Not available	Not available
Ethylbenzene	100 ppm	20 ppm

#### 8.2. Exposure controls

	Engineering Controls		Jse ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
--	----------------------	--	--

#### 8.3. Individual Protective Measures

Personal Protective Equipment		
Hand protection	•	Wear suitable gloves.

Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

Eye protection	:	Wear approved eye protection (properly fitted dust-proof or splash-proof chemical safey goggles) and face protection (face shield).
Skin and body protection	:	Wear suitable protective clothing.
Respiratory protection		In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product, and the safe working limits of the selected respirator.
General health and safety measures		Handle according to established industrial hygiene and safety practices.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties Appearance, physical state and color Transparent red-colored liquid Odor Slight petroleum odor Odor threshold No data available No data available pН Melting point / Freezing Point No data available Initial boiling point / Boiling range No data available Flash point > 205°C (> 401°F) Relative evaporation rate No data available Flammability (solid, gas) : Not flammable

Lower flammable / Explosive limit	: No data available
Upper flammable / Explosive limit	: No data available
Vapor pressure	: < 0.1 mm Hg @ 25°C (77°F)
Vapor density	: No data available
Relative density	: 0.90 g/cm <sup>3</sup> @ 60°F
Solubility	: Insoluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 60 cSt @ 40°C
Oxidizing properties	: No data available
Explosive properties	: No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Stable under normal storage conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

Heat. Incompatible materials.

#### 10.5. Incompatible materials

Strong oxidizers

#### 10.6. Hazardous decomposition products

May include, but are not limited to oxides of carbon, oxides of phosphorous sulfur dioxide

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Lubegard® Dr. Tranny's Instant Shudder Fixx	
LD50 oral rat	>300 but ≤ 2000 mg/kg

Safety Data Sheet Conforms to United States Regulation 2012 OSHA HazCom

Lubegard® Dr. Tranny's Instant Shudder Fixx		
LD50 dermal rabbit	No data available	
LC50 inhalation rat	No data available	

Lubricating Oils, Refined, Used (68476-77-7)	
LD50 oral rat	No data available
LD50 dermal rabbit	No data available
LC50 inhalation rat	No data available

Amines, C12-14-alkyl, C6-10-alkyl phosphates (68603-55-4)		
LD50 oral rat	No data available	
LD50 dermal rabbit	No data available	
LC50 inhalation rat	No data available	

Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioatokappa.S,.kappa.S']-, (T-4)- (4259-15-8)		
LD50 oral rat	3100 mg/kg	
LD50 dermal rabbit	>5000 mg/kg	
LC50 inhalation rat	No data available	
LC50 Innalation rat	No data avaliable	

Ethylbenzene (100-41-4)	
LD50 oral rat	3500 mg/kg
LD50 dermal rabbit	15354 mg/kg
LC50 inhalation rat	17.2 mg/l, 4 hours

Ingredient	Chemical Listed as a Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, Prop 65) (See Section 15 for more information)
Lubricating oils, refined, used	Not listed
Amines, C12-14-alkyl, C6-10-alkyl phosphates	Not listed
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioatokappa.S,.kappa.S']-, (T-4)-	Not listed
Ethylbenzene	G-A3, 1-2B, CP65

Skin Corrosion/Irritation:	Causes skin irritation.
Serious Eye Damage/Irritation:	Causes serious eve damage.
Respiratory or Skin Sensitization:	Based on available data, the classification criteria are not met.
Germ Cell Mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Single Exposure:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Repeated Exposure:	Based on available data, the classification criteria are not met.
Aspiration Hazard:	Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation:	May cause respiratory tract irritation.
Symptoms/injuries after skin contact:	May cause skin irritation. Symptoms may include redness, drying, defatting, and cracking of the skin.
Symptoms/injuries after eye contact:	Causes serious eye damage. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion:	May be harmful if swallowed. May cause stomach distress, nausea, or vomiting.

#### **SECTION 12: Ecological information**

12.1. Ecotoxicity Acute/Chronic Toxicity

May cause long-term adverse effects in the aquatic environment.

Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazC	om
12.2. Persistence and degradability	
Persistence and degradability	Not available
12.3. Bioaccumulative potential	
Bioaccumulation	Not available
12.4. Mobility in soil	
Not available	
12.5. Other adverse effects	
Not available	
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Disposal Method:	This material must be disposed of in accordance with all local, state, provincial, and federal regulations.
Other Disposal Recommendations:	Not available.
Other Disposal Recommendations: SECTION 14: Transport information	Not available.
	Not available.
SECTION 14: Transport information	Not available.
SECTION 14: Transport information In accordance with DOT	Not available.
SECTION 14: Transport information In accordance with DOT 14.1 UN NUMBER	Not available.
SECTION 14: Transport information In accordance with DOT 14.1 UN NUMBER Not regulated 14.2 UN PROPER SHIPPING NAME	Not available.
SECTION 14: Transport information In accordance with DOT 14.1 UN NUMBER Not regulated 14.2 UN PROPER SHIPPING NAME Not regulated	Not available.

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the chemical

15.1.1. United States : Safety data sheet prepared pursuant to the Hazard Communication Standard, 29 CFR 1910.1200 (2012 OSHA HazCom)

Ingredient Name	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (Ibs.)	CERCLA RQ (lbs.)	Section 313
Lubricating oils, refined used	Not listed	Not listed	Not listed	Not listed
Amines, C12-14-alkyl, C6-10-alkyl phosphates	Not listed	Not listed	Not listed	Not listed
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato- .kappa.S,.kappa.S']-, (T-4)-	Not listed	Not listed		313
Ethylbenzene	Not Listed	Not Listed	1000	313

#### State Regulations

#### California Proposition 65:

WARNING: This product can expose you to ethyl benzene, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

Ingredient Name	USA TSCA
Lubricating oils, refined used	Yes

#### Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

Amines, C12-14-alkyl, C6-10-alkyl phosphates	Yes
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioatokappa.S,.kappa.S']-, (T-4)-	Yes
Ethylbenzene	Yes

NFPA - National Fire Protection Association	
Health:	2
Fire:	1
Reactivity:	1

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

HMIS – Hazardous Materials Identification System		
Health:	2	
Fire:	1	
Reactivity:	1	

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

#### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65	California Proposition 65
OSHA	Occupational Safety and Health Administration.
ACGIH	American Conference of Governmental Industrial Hygienists.
	A1 - Confirmed human carcinogen.
	A2 - Suspected human carcinogen.
	A3 - Animal carcinogen.
	A4 - Not classifiable as a human carcinogen.
	A5 - Not suspected as a human carcinogen.
IARC	International Agency for Research on Cancer.
	1 - The agent (mixture) is carcinogenic to humans.
	2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
	2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
	3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
	4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.
NTP	National Toxicology Program.
	1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

#### **SECTION 16: Other information**

Date of Preparation:	February 7, 2014
Version:	1.3
Revision Date:	July 18, 2018

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Safety Data Sheet Conforms to United States Regulation 2012 OSHA HazCom

Prepared by:

International Lubricants, Inc. Phone: (800)-333-5823 www.lubegard.com

End of Safety Data Sheet