

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

SECTION 1: Identification

1.1 Product identifier

Trade name Armor All Extreme Shield + CERAMIC Glass Treat-

ment & Cleaner - Aerosol

Alternative number(s) 070612194022, 067788193836

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
B.3	flammable aerosol	2	Flam. Aerosol 2	H223
B.5	gases under pressure	С	Press. Gas C	H280

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Contains gas under pressure; may explode if heated.

United States: en Page: 1 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS02, GHS04



- Hazard statements

H223 Flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.
P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3 Other hazards

Hazards not otherwise classified

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
isobutane	CAS No 75-28-5	5 – < 10	Muta. 1B / H340 Carc. 1A / H350 Flam. Gas 1 / H220 Press. Gas C / H280	
isopropyl alcohol	CAS No 67-63-0	1-<5	Eye Irrit. 2 / H319 STOT SE 3 / H336 Flam. Liq. 2 / H225	⋄ ••••••••••••••••••••••••••••••••••••

United States: en Page: 2 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Diethylene glycol monobutyl ether	CAS No 112-34-5	1-<5	Eye Irrit. 2 / H319	(!)

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

United States: en Page: 3 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

United States: en Page: 4 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

Frost

- Packaging compatibilities
Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	diethylene glycol monobutyl ether	112-34-5	TLV®	10						iv	AC- GIH® 2019
US	2-propanol	67-63-0	TLV®	200		400					AC- GIH® 2019
US	isopropyl alcohol	67-63-0	PEL (CA)	400	980	500	1,225				Cal/ OSHA PEL
US	isopropyl alcohol	67-63-0	REL	400 (10 h)	980 (10 h)	500	1,225				NIOSH REL
US	isopropyl alcohol	67-63-0	PEL	400	980						29 CFR 1910.1 000
US	isobutane	75-28-5	REL	800 (10 h)	1,900 (10 h)						NIOSH REL
US	isobutane	75-28-5	TLV®			1,000				E	AC- GIH® 2019

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

explosive

United States: en Page: 5 / 21

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Notation

inhalable fraction and vapor

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified TWA

Biological limit values

Country	Name of agent	Parameter	Nota- tion	Identifier	Value	Source
US	isopropanol	acetone		BEI®	40 mg/l	ACGIH® 2019

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
Diethylene glycol monobutyl ether	112-34-5	DNEL	101.2 mg/ m³	human, inhalatory	worker (industry)	acute - local ef- fects
Diethylene glycol monobutyl ether	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
isopropyl alcohol	67-63-0	DNEL	500 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
isopropyl alcohol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monobutyl ether	112-34-5	PNEC	1.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.11 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	200 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	4.4 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)

United States: en Page: 6 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.44 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.32 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	160 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	140.9 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
isopropyl alcohol	67-63-0	PNEC	140.9 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	140.9 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	2,251 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
isopropyl alcohol	67-63-0	PNEC	28 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

During spraying wear suitable respiratory equipment.

United States: en Page: 7 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	aerosol (spray aerosol)
Color	various
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	-161.5 °C at 1,013 hPa
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	flammable aerosol in accordance with GHS criteria

Explosive limits

- Lower explosion limit (LEL)	3 vol%
- Upper explosion limit (UEL)	12.5 vol%
Vapor pressure	0.022 mmHg at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

United States: en Page: 8 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Propellant content	6 %
--------------------	-----

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure. Risk of ignition.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United States: en Page: 9 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
isopropyl alcohol	67-63-0	3	

Legend

s itot classifiable as te

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United States: en Page: 10 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
isobutane	75-28-5	LC50	49.9 ^{mg} / _l	fish	96 h
isobutane	75-28-5	EC50	19.37 ^{mg} / _l	algae	96 h
Diethylene glycol monobutyl ether	112-34-5	LC50	1,300 ^{mg} / _l	fish	96 h
Diethylene glycol monobutyl ether	112-34-5	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h
Diethylene glycol monobutyl ether	112-34-5	ErC50	>100 ^{mg} / _l	algae	96 h
Diethylene glycol monobutyl ether	112-34-5	NOEC	≥100 ^{mg} / _l	aquatic invertebrates	48 h
isopropyl alcohol	67-63-0	LC50	10,000 ^{mg} / _l	fish	96 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

United States: en Page: 11 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	1950
17.1	OIN HUHINCI	1230

14.2 UN proper shipping name Aerosols

14.3 Transport hazard class(es)

Class 2.1 (gases) (aerosol) (flammable)

14.4 Packing group not assigned to a packing group

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number 1950

Proper shipping name Aerosols

- Particulars in the shipper's declaration UN1950, Aerosols, 2.1

- Reportable quantity (RQ) 531,914,894 lbs (241,489,362 kg) (formic acid)

Class 2.1 Danger label(s) 2.1

United States: en Page: 12 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)



Special provisions (SP) N82 ERG No 126

International Maritime Dangerous Goods Code (IMDG)

UN number 1950

Proper shipping name AEROSOLS

- Particulars in the shipper's declaration UN1950, AEROSOLS, 2.1

Class 2.1

Marine pollutant
Danger label(s) 2.1



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U

Stowage category -

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1950

Proper shipping name Aerosols, flammable

- Particulars in the shipper's declaration UN1950, Aerosols, flammable, 2.1

Class 2.1 Danger label(s) 2.1



Special provisions (SP) A145, A167

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

United States: en Page: 13 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
isopropyl alcohol	67-63-0	only persons who manufacture by the strong acid process are sub- ject, supplier notification not re- quired	1987-01-01

Clean Air Act

Name of substance	CAS No	Type of registra- tion	Basis for listing	Threshold quantity (lbs)
isobutane	75-28-5	Flammable sub- stance	f	10000

Legend

f Flammable gas.

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Water		7732-18-5	solvents	
Isobutane	Isobutane	75-28-5	propellant	EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
Diethylene glycol monobutyl ether	Glycol ethers		solvents	CA TACs
Isopropyl alcohol	Isopropanol	67-63-0	diluent	OEHHA RELs
1-Butoxypropan-2-ol		5131-66-8	solvents	

United States: en Page: 14 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Glycolic acid		79-14-1	cleaning agent	
1,2-Benzisothiazolin-3-one		2634-33-5	preservative	
Formic acid		64-18-6	preservative	
5-Chloro-2-methyl-2H-isothiazol- 3-one		26172-55-4	preservative	
Magnesium chloride		7786-30-3	fragrance	
Xanthan gum		11138-66-2	thickener	
2-Methyl-4-isothiazolin-3-one		2682-20-4	preservative	
Magnesium nitrate		10377-60-3	preservative	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	Name acc. to inventory	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Thres hold	De Minimis Concentra- tion Threshold
isopropyl alcohol	Isopropyl alcohol (mfg-strong acid process)	67-63-0				1.0 %
Diethylene glycol monobutyl ether	Glycol Ethers		1022			1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
isopropyl alcohol	Isopropyl alcohol	67-63-0	A, N, O	
isobutane	Alkanes		N	

Legend

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards,"

O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

United States: en Page: 15 / 21

N National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

- Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
isopropyl alcohol	isopropyl alcohol (2-propanol) (isopropanol)	67-63-0		F3
Diethylene glycol monobutyl ether	glycol, ethers			
isobutane	isobutane (propane, 2-methyl-)	75-28-5		F4

Legend

F3 Flammable - Third Degree F4 Flammable - Fourth Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
isopropyl alcohol	2-PROPANOL	67-63-0	E
Diethylene glycol monobutyl ether	GLYCOL ETHERS		Е
isobutane	PROPANE, 2-METHYL-	75-28-5	

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
isopropyl alcohol	isopropyl alcohol	67-63-0	Т, F
isobutane	Butane	106-97-8	Т, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

United States: en Page: 16 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily
Health	0	material that, under emergency conditions, would offer no hazard beyond that of or- dinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed

United States: en Page: 17 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Country	Inventory	Status
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances CICR Chemical Inventory and Control Regulation

List of Existing and New Chemical Substances (CSCL-ENCS) **CSCL-ENCS**

DSL

ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

INSO

National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS) ISHA-ENCS

Korea Existing Chemicals Inventory Non-domestic Substances List (NDSL) KECI NDSL NZIoC

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS**

REACH Req. REACH registered substances

Taiwan Chemical Substance Inventory TCSI

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
3.2		Description of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes
14.7		Danger label(s): change in the listing (table)	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes

United States: en Page: 18 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub-
1910.1000	stances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association

United States: en Page: 19 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Muta.	Germ cell mutagenicity
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United States: en Page: 20 / 21



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield + CERAMIC Glass Treatment & Cleaner - Aerosol

Version number: 3.0 Revision: 2020-12-03 Replaces version of: 2020-10-21 (2)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H220	Extremely flammable gas.
H223	Flammable aerosol.
H225	Highly flammable liquid and vapor.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects.
H350	May cause cancer.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 21 / 21