

# SAFETY DATA SHEET

### 1. Identification

Product identifier	Super White™ Multi-Purpose Lithium Grease - (can) - 14 oz		
Other means of identification			
Product Code	No. SL3151 (Item# 1007875)		
Recommended use	Multi-purpose grease		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Manufactured or sold by:			
Company name	CRC Industries, Inc.		
Address	885 Louis Dr.		
	Warminster, PA 18974 US		
Telephone			
General Information	215-674-4300		
Technical Assistance	800-521-3168		
Customer Service	800-272-4620		
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)		
Website	www.crcindustries.com		
2. Hazard(s) identification	]		
Physical hazards	Not classified.		
Health hazards	Not classified.		
Environmental hazards	Hazardous to the aquatic environment, acute Category 2 hazard		
	Hazardous to the aquatic environment, Category 2 long-term hazard		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	The mixture does not meet the criteria for classification.		
Precautionary statement			
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use. Observe good industrial hygiene practices.		
Response	Wash hands after handling.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with local authority requirements.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		
3 Composition/information	on on ingradiants		

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), hydrotrea heavy naphthenic	ated	64742-52-5	80 - 90
zinc oxide		1314-13-2	3 - 5

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), solvent-dewaxed heavy paraffil	nic	64742-65-0	0.1 - 1
titanium dioxide		13463-67-7	0.1 - 1
Specific chemical identity and/or p	ercentage of composition has been withheld as	a trade secret.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist.	
Skin contact	Wash off with soap and water. Get medical at	tention if irritation develops ar	nd persists.
Eye contact	Rinse immediately with plenty of water, also u develops and persists.	nder the eyelids. Get medical	attention if irritation
Ingestion	Rinse mouth. Get medical attention if symptor	ns occur.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary	/ irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the protect themselves.	ne material(s) involved, and ta	ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as thi	s will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pr	otective clothing must be wor	n in case of fire.
Fire-fighting equipment/instructions	Use standard firefighting procedures and con	sider the hazards of other inv	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	ISURES		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep peo appropriate protective equipment and clothing authorities should be advised if significant spil see section 8 of the SDS.	during clean-up. Ensure ade	quate ventilation. Local
Methods and materials for containment and cleaning up	The product is immiscible with water and will s as a water pollutant under the Clean Water Ac or from entering sewage and drainage system sand or earth and place into containers. Wipe surface thoroughly to remove residual contam	ct and should be prevented from s which lead to waterways. A up with absorbent material (e	om contaminating soil bsorb in vermiculite, dr
	Never return spills to original containers for re	-use. For waste disposal, see	section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appr environmental releases. Prevent further leaka drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Avoid prolonged exposure. Provide adequate equipment. Avoid release to the environment. product usage instructions, see the product la	Observe good industrial hygi	
Conditions for safe storage,	Store in a cool, dry place out of direct sunlight incompatible materials (see Section 10 of the	. Store in tightly closed contai	ner. Store away from

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures,	such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Wear protective gloves such as: Neoprene. Nitrile.	
Other	Wear suitable protective clothing.	
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

## 9. Physical and chemical properties

Physical state     Solid, Liquid.       Form     Grease.       Color     White.       Odor     Hydrocarbon-like.       Odor threshold     Not available.       Odor threshold     Not available.       Odor threshold     Not available.       Odor threshold     Not available.       Physical state     S02.0 °F (> 150.0 °C)       State     Not available.       Pharmability colid, gas)     Not available.       Flarmability limit - lower     Not available.       Flammability limit - lower     Not available.       Flammability limit - upper     Not available.       Vapor tensity     Not available.       Kalapite density     Not available.
ColorWhite.OdorHydrocarbon-like.Odor thresholdNot available.Odor thresholdNot available.Welting point/freezing pointNot available.Melting point/freezing pointNot available.Initial boiling point and boiling range698 - 1103 °F (370 - 595 °C)Flash point> 302.0 °F (> 150.0 °C)Evaporation rateNot available.Flammability (solid, gas)Not available.Jpper/lower flammability or expise limitsFlammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.
Value Hydrocarbon-like.   Odor threshold Not available.   Odor threshold Not available.   Odor threshold Not available.   Melting point/freezing point Not available.   nitial boiling point and boiling 698 - 1103 °F (370 - 595 °C)   range S02.0 °F (> 150.0 °C)   Flash point > 302.0 °F (> 150.0 °C)   Evaporation rate Not available.   IJpper/lower flammability or explicity Not available.   flammability limit - lower Not available.   (%) Not available.   flammability limit - lower Not available.   (%) Not available.
DotNot available.bHNot available.Melting point/freezing pointNot available.nitial boiling point and boiling range698 - 1103 °F (370 - 595 °C)Flash point> 302.0 °F (> 150.0 °C)Evaporation rateNot available.Flammability (solid, gas)Not available.Jpper/lower flammability or expisive limitsflammability limit - lower (%)Not available.flammability limit - lower 
bHNot available.Melting point/freezing pointNot available.nitial boiling point and boiling range698 - 1103 °F (370 - 595 °C)Flash point> 302.0 °F (> 150.0 °C)Evaporation rateNot available.Flammability (solid, gas)Not available.Jpper/lower flammability or explicitiesNot available.Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.
We Iting point/freezing point   Not available.     nitial boiling point and boiling range   698 - 1103 °F (370 - 595 °C)     Flash point   > 302.0 °F (> 150.0 °C)     Flash point rate   Not available.     Flash joint (solid, gas)   Not available.     Flasmability (solid, gas)   Not available.     Jpper/lower flammability or explose   Not available.     flammability limit - lower (%)   Not available.     Flammability limit - upper (%)   Not available.     Vaper pressure   Not available.     Vaper tensity   Not available.
nitial boiling point and boiling flash point > 302.0 °F (> 150.0 °C) Evaporation rate Not available. Flammability (solid, gas) Not available. Jpper/lower flammability or explosive limits Flammability limit - lower Not available. (%) Flammability limit - upper Not available. (%) Vapor pressure Not available. Vapor density Not available.
Fange   > 302.0 °F (> 150.0 °C)     Evaporation rate   Not available.     Flammability (solid, gas)   Not available.     Jpper/lower flammability or explosive limits   Image: Not available.     Flammability limit - lower   Not available.     (%)   Not available.     Flammability limit - upper   Not available.     (%)   Not available.     Vapor pressure   Not available.     Vapor density   Not available.
Evaporation rate   Not available.     Flammability (solid, gas)   Not available.     Jpper/lower flammability or explosive limits     Flammability limit - lower   Not available.     (%)   Not available.     Flammability limit - upper   Not available.     (%)   Not available.     Vapor pressure   Not available.     Vapor density   Not available.
Flammability (solid, gas)   Not available.     Jpper/lower flammability or explosive limits     Flammability limit - lower   Not available.     (%)   Not available.     Flammability limit - upper   Not available.     (%)   Not available.     /apor pressure   Not available.     /apor density   Not available.
Jpper/lower flammability or explosive limits Flammability limit - lower Not available. (%) Flammability limit - upper Not available. (%) /apor pressure Not available. /apor density Not available.
Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Vapor pressure Vapor densityNot available.Vot available.Not available.
(%) Flammability limit - upper Not available.   (%) Vapor pressure Not available.   /apor density Not available.
(%) Vapor pressure Not available.   Vapor density Not available.
Vapor density Not available.
Relative density 1.13
Solubility(ies)
Solubility (water) Insoluble.
Partition coefficient Not available. (n-octanol/water)
Auto-ignition temperature > 599 °F (> 315 °C)
Decomposition temperature Not available.
Viscosity Not available.
Percent volatile Not available.

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.

Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

·····, ····,				
Inhalation	Based on available data, the classification criteria are not met.			
Skin contact	Based on available data, the classification criteria are not met.			
Eye contact	Based on available data, the classification criteria a	re not met.		
Ingestion	Based on available data, the classification criteria a	re not met.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.			
Information on toxicological effe	ects			
Acute toxicity	Not classified.			
Components	Species	Test Results		
distillates (petroleum), hydrotreate <u>Acute</u> Dermal LD50 Oral LD50	d heavy naphthenic (CAS 64742-52-5) Rabbit	> 2000 mg/kg		
	Rat	> 5000 mg/kg		
Skin corrosion/irritation		Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irrita	tion.		
Respiratory or skin sensitization	1			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause skin sensitiza			
Germ cell mutagenicity	No data available to indicate product or any compor mutagenic or genotoxic.			
Carcinogenicity	Not classifiable as to carcinogenicity to humans.			
IARC Monographs. Overall	Evaluation of Carcinogenicity			
(CAS 64742-65-0)	Ivent-dewaxed heavy paraffinic 3 Not classifiable as	s to carcinogenicity to humans.		
Not listed.	d Substances (29 CFR 1910.1001-1053)			
	ogram (NTP) Report on Carcinogens			
Not listed.				
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
12. Ecological information	n			
Ecotoxicity	Toxic to aquatic life with long lasting effects.			

ECOLOXICILY	Toxic to aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.

Bioconcentration factor	(BCF)		
titanium dioxide	352		
zinc oxide	60690		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal considera	ations		
Disposal instructions	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.		
Hazardous waste code	Not regulated.		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

#### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### 15. Regulatory information

#### **US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

zinc oxide (CAS 1314-13-2)

#### **CERCLA Hazardous Substances: Reportable quantity**

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water ActNot regulated.(SDWA)Not regulated.Food and DrugNot regulated.

Administration (FDA)

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
 zinc oxide	1314-13-2	3 - 5

Material name: Super White<sup>™</sup> Multi-Purpose Lithium Grease - (can) - 14 oz No. SL3151 (Item# 1007875) Version #: 01 Issue date: 03-01-2022

#### **US state regulations**

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

#### US. New Jersey Worker and Community Right-to-Know Act

titanium dioxide (CAS 13463-67-7) zinc oxide (CAS 1314-13-2)

#### US. Massachusetts RTK - Substance List

titanium dioxide (CAS 13463-67-7) zinc oxide (CAS 1314-13-2)

#### US. Pennsylvania Worker and Community Right-to-Know Law

titanium dioxide (CAS 13463-67-7) zinc oxide (CAS 1314-13-2)

#### **US. Rhode Island RTK**

titanium dioxide (CAS 13463-67-7) zinc oxide (CAS 1314-13-2)

#### **California Proposition 65**



WARNING: This product can expose you to chemicals including cadmium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

cadmium (CAS 7440 lead (CAS 7439-92-1		Listed: October 1, 1987 Listed: October 1, 1992	
•	California Proposition 65 - CRT: Listed date/Developmental toxin		
cadmium (CAS 7440 lead (CAS 7439-92-1 California Proposition 6	,	Listed: May 1, 1997 Listed: February 27, 1987 eproductive toxin	
lead (CAS 7439-92-1		Listed: February 27, 1987	
,	5 - CRT: Listed date/Male rep	•	
cadmium (CAS 7440 lead (CAS 7439-92-1	-43-9)	Listed: May 1, 1997 Listed: February 27, 1987	
Volatile organic compounds (VC	DC) regulations		
EPA			
VOC content (40 CFR 51.100(s))	< 0.1 %		
Consumer products (40 CFR 59, Subpt. C)	Not regulated		
State			
Consumer products	Not regulated		
VOC content (CA)	< 0.1 %		
VOC content (OTC)	< 0.1 %		
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Industr	rial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)		Yes
Canada	Non-Domestic Substances List (NDSL)		No
China	Inventory of Existing Chemical Substances in China (IECSC)		Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)		No
Europe	European List of Notified Chemical Substances (ELINCS)		No
Japan	Inventory of Existing and New	Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	)	No
New Zealand	New Zealand Inventory		No
Philippines	Philippine Inventory of Chemic (PICCS)	cals and Chemical Substances	No

Country(s) or region	Inventory name	On inventory (yes/no)*
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered b components of the product are not listed or exempt from listing on the inve	

#### 16. Other information, including date of preparation or last revision

Issue date	03-01-2022
Prepared by	Danica Fulmer
Version #	01
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
<b>Revision information</b>	This document has undergone significant changes and should be reviewed in its entirety.