ASHLAND	Page: 1
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name

: Pyroil™ BRAKE PARTS CLEANER

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data	Emergency telephone number
sheet	1-800-ASHLAND (1-800-274-5263)
Ashland	
P.O. Box 2219	Regulatory Information Number
Columbus, OH 43216	1-800-325-3751
United States of America	
	Product Information
	614-790-3333
EHS Customer Requests@ashland.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Acute toxicity (Inhalation)	: Category 4
Skin irritation	: Category 2
Eye irritation	: Category 2A
Skin sensitization	: Category 1
Carcinogenicity	: Category 2
Specific target organ systemic toxicity - single exposure	: Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: Causes skin irritation.

May cause an allergic skin reaction.

SAFETY DATA SHEET

Pyroil[™] BRAKE PARTS CLEANER

Page: 2

Revision Date: 05/23/2015

Print Date: 7/9/2015 SDS Number: R0339974

Version: 1.0

PYBPC20

1 020	
	Causes serious eye irritation. Harmful if inhaled. May cause drowsiness or dizziness. Suspected of causing cancer.
	 Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. If skin irritation persists: Get medical advice/ attention. If score in a well-ventilated place. Keep container tightly closed. Store locked up. Disposal: Dispose of contents/ container to an approved waste disposal plant.
Other hererde	

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
TETRACHLOROETHYLENE	127-18-4	Acute Tox. 4; H332	91.78
		Skin Irrit. 2; H315	
		Eye Irrit. 2A; H319	
		Chin Cana 4: 11047	
		Skin Sens. 1; H317	

ASHLAND.	Page: 3
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

	Carc. 2; H351 STOT SE 3; H336	
CARBON DIOXIDE	Press. Gas Liquefied gas; H280	8.12

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Call a POISON CENTRE or doctor/physician if exposed or you feel unwell. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	Move to fresh air. Keep patient warm and at rest. If unconscious place in recovery position and seek medical advice. Consult a physician after significant exposure.
In case of skin contact	:	Remove contaminated clothing. If irritation develops, get medical attention. If on skin, rinse well with water. Wash contaminated clothing before re-use.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye.
If swallowed	:	Obtain medical attention. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material. Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: redness of the skin stomach or intestinal upset (nausea, vomiting, diarrhea)

ASHLAND	
SAFETY DATA SHEET	

Page: 4

Revision Date: 05/23/2015

Pyroil[™] BRAKE PARTS CLEANER

Print Date: 7/9/2015 SDS Number: R0339974

Version: 1.0

PYBPC20

irritation (nose, throat, airways) temporary changes in mood and behavior confusion irregular heartbeat Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause drowsiness or dizziness. Suspected of causing cancer.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam 	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.	r
Hazardous combustion products	 carbon dioxide and carbon monoxide Chlorine hydrogen chloride Phosgene 	
Specific extinguishing methods	:	
	Product is compatible with standard fire-fighting agents.	
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	st
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Use personal protective equipment.
protective equipment and	Ensure adequate ventilation.
emergency procedures	Avoid breathing dust.
	Persons not wearing protective equipment should be excluded
	from area of spill until clean-up has been completed.

ASHLAND	Page: 5
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

Environmental precautions	Pi If	revent product from entering drains. revent further leakage or spillage if safe to do so. the product contaminates rivers and lakes or drains inform spective authorities.
Other information	: C	omply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	Do Do Per alle be e use Cor Avo Avo Smo app For Disj	vide sufficient air exchange and/or exhaust in work rooms. not breathe vapours/dust. not smoke. sons susceptible to skin sensitisation problems or asthma, rgies, chronic or recurrent respiratory disease should not employed in any process in which this mixture is being d. ntainer hazardous when empty. id exposure - obtain special instructions before use. id contact with skin and eyes. oking, eating and drinking should be prohibited in the lication area. personal protection see section 8. pose of rinse water in accordance with local and national ulations.
Conditions for safe storage	exp or tl red- Kee plac Cor kep Obs Elec	WARE: Aerosol is pressurized. Keep away from direct sun osure and temperatures over 50 °C. Do not open by force prow into fire even after use. Do not spray on flames or hot objects. ep container tightly closed in a dry and well-ventilated ce. Intainers which are opened must be carefully resealed and t upright to prevent leakage. Serve label precautions. ctrical installations / working materials must comply with technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

	-			
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
TETRACHLOROETHYLENE	127-18-4	TWA	25 ppm	ACGIH
		STEL	100 ppm	ACGIH
		TWA	100 ppm	OSHA/Z2
		Ceiling	200 ppm	OSHA/Z2

Components with workplace control parameters

ASHLAND	Page: 6
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

		MAX. CONC	300 ppm	OSHA/Z2
		TWA	25 ppm	TN OEL
			170 mg/m3	
CARBON DIOXIDE	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		REL	5,000 ppm	NIOSH/GUID
			9,000 mg/m3	E
		STEL	30,000 ppm	NIOSH/GUID
			54,000 mg/m3	E
		PEL	5,000 ppm	OSHA_TRA
			9,000 mg/m3	NS

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
TETRACHLOROETHYL ENE	127-18-4	tetrachloroe thylene	Blood	Samplin g time: Prior to shift.	0.5 mg/l	
		tetrachloroe thylene	End- exhaled air	Samplin g time: Prior to shift.	3 ppm	

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection	In the case of vapour formation use a respirator with an approved filter. In the case of dust or aerosol formation use respirator with a approved filter.	
	A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air- purifying respirators is limited. Use a positive pressure, air- supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.	
Hand protection Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye protection	Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.	

ASHLAND	Page: 7
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

Skin and body protection :	Wear as appropriate: impervious clothing Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear. Wear resistant gloves (consult your safety equipment supplier).
Hygiene measures :	Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: aerosol
Physical state	: aerosol
Odour	: No data available
Odour Threshold	: No data available
рН	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: 250.3 °F / 121.3 °C
Flash point	Calculated Phase Transition Liquid/Gas : does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 24.6642 hPa (25 °C) Calculated Vapor Pressure
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Solubility in other solvents	: No data available
	7 / 17

ASHLAND	Page: 8
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

Partition coefficient: n- octanol/water	:	No data available
Thermal decomposition	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.	
Chemical stability	: Stable under recommended storage conditions.	
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.	
Conditions to avoid	 Avoid heat, open flame, and prolonged storage at elevate temperatures. UV light. Exposure to sunlight. 	d
Incompatible materials	 Alkali metals aluminum Amines Barium Strong acids strong bases Strong oxidizing agents Zinc 	
Hazardous decomposition products	carbon dioxide and carbon monoxide Chlorine hydrogen chloride Phosgene	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Eye Contact
		Ingestion

ASHLAND	Page: 9
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0

PYBPC20

. . . .

Acute toxicity Harmful if inhaled. <u>Components:</u> TETRACHLOROETHYLENE: Acute oral toxicity	: LD50 (Rat, male): 3,835 mg/kg LD50 (Rat, female): 3,005 mg/kg
Acute inhalation toxicity	: Assessment: The component/mixture is classified as acute inhalation toxicity, category 4.
Acute dermal toxicity	 LD 50 (Rabbit): > 3,228 mg/kg Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Skin corrosion/irritation

Causes skin irritation. <u>Product:</u> Remarks: May cause skin irritation and/or dermatitis.

<u>Components:</u> TETRACHLOROETHYLENE: Result: Irritating to skin

CARBON DIOXIDE: Result: Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:

TETRACHLOROETHYLENE: Result: Irritating to eyes

CARBON DIOXIDE: Result: Not irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information. <u>Components:</u> TETRACHLOROETHYLENE: Test Type: Local lymph node assay Exposure routes: Dermal Species: Mouse Assessment: May cause sensitisation by skin contact. Method: OECD Test Guideline 429 GLP: yes

Germ cell mutagenicity

Not classified based on available information.

ASHLAND	Page: 10
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

Components:

TETRACHLOROETHYLENE: Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro
	Test species: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473
	Result: negative GLP: yes
	: Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
	GLP: yes : Test Type: In vitro mammalian cell gene mutation test
	Test species: mouse lymphoma cells Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476 Result: negative

GLP: yes

Carcinogenicity

Suspected of causing cancer. <u>Components:</u> TETRACHLOROETHYLENE: Carcinogenicity -Assessment

: Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified based on available information. **STOT - single exposure** May cause drowsiness or dizziness. <u>Components:</u> TETRACHLOROETHYLENE: Exposure routes: inhalation (vapour) Target Organs: Central nervous system Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information. **Aspiration toxicity** Not classified based on available information. **Further information** <u>Product:</u> Remarks: Symptoms of avarageous may be left

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

Components:

TETRACHLOROETHYLENE: Remarks: Central nervous system

ASHLAND	Page: 11
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

Carcinogenicity: IARC	Group 2A: Probably carcinogenic to humans		
	TETRACHLOROETHYLENE	127-18-4	
OSHA	No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA.		
NTP	Reasonably anticipated to be a h	uman carcinogen	
	TETRACHLOROETHYLENE	127-18-4	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

TETRACHLOROETHYLENE:	
Toxicity to fish :	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss)): 4.73 - 5.27 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to daphnia and other : aquatic invertebrates	EC 50 (Water flea (Daphnia magna)): 7 - 11 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae :	EC50 (Green algae): 3.64 mg/l End point: Growth inhibition Exposure time: 72 h
Toxicity to fish (Chronic : toxicity)	NOEC (Jordanella floridae (flagfish)): 2.34 mg/l Exposure time: 28 d Test Type: flow-through test
Toxicity to daphnia and other : aquatic invertebrates (Chronic toxicity)	NOEC (Daphnia magna (Water flea)): 0.51 mg/l Exposure time: 28 d End point: Reproduction Test Test Type: semi-static test
Toxicity to bacteria :	IC50 (Bacteria): 112 mg/l Exposure time: 24 h
Persistence and degradability	
Components:	
TETRACHLOROETHYLENE:	
Biodegradability :	Remarks: Not readily biodegradable.

ASHLAND	Page: 12
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

Bioaccumulative potential

Components:

TETRACHLOROETHYLENE: Bioaccumulation	:	Species: Bluegill (Lepomis macrochirus) Bioconcentration factor (BCF): 49 Exposure time: 21 d Concentration: 0.00343 mg/l Method: Flow through
Partition coefficient: n- octanol/water	:	log Pow: 2.53 (23 °C)
Mobility in soil <u>Components:</u> No data available		
Other adverse effects No data available		
Product:		
Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.
Components:		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
General advice	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Dispose of in accordance with all applicable local, state and
Contaminated packaging	federal regulations.Empty remaining contents.
Contaminated packaging	Empty containing contents. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ASHLAND	Page: 13
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

ID NUMBER PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
--------------------------------	------------------	-----------------------	------------------	------------------------------------

U.S. DOT - ROAD

ORM-D, CONSUMER	ORM	MARINE
COMMODITY		POLLUTANT:(
		TETRACHLOR
		OETHYLENE)

U.S. DOT - RAIL

ORM-D, COMMO	CONSUMER DITY	ORM	MARINE POLLUTANT:(TETRACHLOR OETHYLENE)

U.S. DOT - INLAND WATERWAYS

 -		
ORM-D, CONSUMER	ORM	MARINE
COMMODITY		POLLUTANT:(
		TETRACHLOR
		OETHYLENE)

TRANSPORT CANADA - ROAD

UN	1950	AEROSOLS	2.2	

TRANSPORT CANADA - RAIL

UN	1950	AEROSOLS	2.2	

TRANSPORT CANADA - INLAND WATERWAYS

UN	1950	AEROSOLS	2.2	MARINE
				POLLUTANT:(
				TETRACHLOR
				OETHYLENE)

INTERNATIONAL MARITIME DANGEROUS GOODS

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

	UN	1950	Aerosols, non-flammable	2.2	
Г					

ASHLAND	Page: 14
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN	1950	Aerosols, non-flammable	2.2	

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

UN

1950 AEROSOLES

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant yes

2

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
TETRACHLOROETHYLENE	127-18-4	100	108.947534
SARA 311/312 Hazards	Acute Health Hazar Chronic Health Haz	÷.	
SARA 313 Component(s)	TETRACHLOROET NE	HYLE 127-18-4	91.78 %
Pennsylvania Right To Know			
TETRACHLORO	DETHYLENE	127-18-4	90.00 - 100.00 %
CARBON DIOXI	DE	124-38-9	5.00 - 10.00 %
New Jersey Right To Know			
TETRACHLORO	DETHYLENE	127-18-4	90.00 - 100.00 %
CARBON DIOXI	DE	124-38-9	5.00 - 10.00 %

California Prop 65	WARNING! This product contains a chemical known to the State of California to cause cancer. TETRACHLOROETHYLE 127-18-4 NF

ASHLAND	Page: 15
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

The components of this pro TSCA	duct are reported in the following inventories: : On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL.
AUSTR	: On the inventory, or in compliance with the inventory
NZIOC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECL	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 05/23/2015



NFPA Flammable and Combustible Liquids Classification Not applicable

Full text of H-Statements referred to under sections 2 and 3.

ASHLAND	
SAFETY DATA SHEET	

Pyroil[™] BRAKE PARTS CLEANER

Page: 16

Revision Date: 05/23/2015

Print Date: 7/9/2015 SDS Number: R0339974

Version: 1.0

PYBPC20

H280 H315	Contains gas under pressure; may explode if heated. Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

ASHLAND.	Page: 17
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 7/9/2015
	SDS Number: R0339974
Pyroil™ BRAKE PARTS CLEANER	Version: 1.0
PYBPC20	

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act DOT : Department of Transportation FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act HMIRC : Hazardous Materials Information Review Commission HMIS : Hazardous Materials Identification System NFPA : National Fire Protection Association NIOSH : National Institute for Occupational Safety and Health OSHA : Occupational Safety and Health Administration PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System