#### Issuing Date 05-Jun-2015

# SAFETY DATA SHEET

Revision Date 05-Jun-2015

**Revision Number** 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	EZ Shine
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Automotive Wax (All types but Hard Paste)
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	Superior Products Co
Supplier Address	6962 Highway 111 S. Roxana IL 62087 US
Supplier Phone Number	Phone:618 254-7400 Fax:618 254-7421
Supplier Email	glenn@superiorproducts.com
Emergency telephone number	
Company Emergency Phone Number	800 424-9300

### 2. HAZARDS IDENTIFICATION

### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation

Category 2

#### GHS Label elements, including precautionary statements



Emergency Overview		
Signal word	Warning	
Hazard Statements Causes serious eye irritation		
Appearance Violet	Physical state Liquid	Odor Grape

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Wear eye/face protection

#### **Precautionary Statements - Response**

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Precautionary Statements - Storage None

\_ \_

Precautionary Statements - Disposal None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

**Other information** 

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

### Interactions with Other Chemicals

No information available.



## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
Isopropyl alcohol	67-63-0	7 - 13	*
*The exact perce	ntage (concentration) of compositi	on has been withheld as a trade	secret
	4. FIRST AID ME		
First aid measures			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.		
Skin contact	Wash with soap and water.		
Inhalation	Remove to fresh air.		
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.		
Most important symptoms and effects, both acute and delayed			
Most Important Symptoms and Effects	d Burning sensation.		
Indication of any immediate me	dical attention and special tr	eatment needed	
Notes to Physician	Treat symptomatically.		

### **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

Uniform Fire Code Irritant: Liquid

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions Methods and material for containm	Refer to protective measures listed in Sections 7 and 8. ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.



Handling

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

StorageKeep containers tightly closed in a dry, cool and well-ventilated place.Incompatible ProductsStrong oxidizing agents. Acids. Chlorinated compounds.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
ACGIH TLV: American Conference of Gov	arnmontal Inductrial Hygianiata Th	(vacated) STEL: 1225 mg/m <sup>3</sup>	aunational Safaty and Haalth
Administration - Permissible Exposure Lim			cupational Salety and Health
Other Exposure Guidelines	Vacated limits revoked by the	Court of Appeals decision in AF	FL-CIO v. OSHA, 965 F.2d 962
		5 for national exposure control	
Appropriate engineering controls			
Engineering Measures	Showers		
	Eyewash stations		
	Ventilation systems		
Individual protection measures, such	ch as personal protective equi	pment	
Eye/face protection	If splashes are likely to occur:. Wear safety glasses with side shields (or goggles). None required for consumer use.		
Skin and body protection	Wear protective gloves and protective clothing.		
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

No information available

Grape

Physical state Appearance Color	Liquid Violet No information available	Odor Odor Threshold
Property_	Values_	Remarks Method
рН	7	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	1	None known
Water Solubility	Completely soluble	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wat	erNo data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing properties	No data available	
Other Information		
Softening Point	No data available	
VOC Content (%)	No data available	
Particle Size	No data available	
Particle Size Distribution		

### **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> None known based on information supplied. <u>Incompatible materials</u> Strong oxidizing agents. Acids. Chlorinated compounds. <u>Hazardous Decomposition Products</u> Carbon oxides.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure



Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Product Information**

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 4396 mg/kg(Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat)8 h

#### Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

**Mutagenic Effects** No information available.

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		Х
67-63-0				

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

No information available.
No information available.
No information available.
No known effect based on information supplied. Contains a known or suspected carcinogen.
Eyes. Respiratory system. Skin. Blood. Kidney. Liver. Spleen. Systemic Toxicity.
No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

#### ATEmix (oral) 43,960.00 mg/kg ATEmix (inhalation-vapor) 556.11 ATEmix

### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Isopropyl alcohol 67-63-0	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: > 1400000 μg/L (Lepomis macrochirus) 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas)		48h EC50: = 13299 mg/L

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Log Pow
Isopropyl alcohol 67-63-0	0.05

#### Other adverse effects

No information available.

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Isopropyl alcohol	Toxic
67-63-0	Ignitable

### **14. TRANSPORT INFORMATION**



<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
<u>MEX</u>	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated
	15. REGULATORY INFORMATION
International Inventories	
TOOA	O a server lise a

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	7 - 13	1.0
SARA 311/312 Hazard Categories		·	
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations



#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl alcohol 67-63-0	Х	Х	Х	Х	

#### International Regulations

#### Mexico

National occupational exposure limits

Com	ponent	Carcinogen Status	Exposure Limits
Isoprop	yl alcohol		Mexico: TWA 400 ppm
67-63-	0(7-13)		Mexico: TWA 980 mg/m <sup>3</sup>
			Mexico: STEL 500 ppm
			Mexico: STEL 1225 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Not determined

### **16. OTHER INFORMATION**

NFPA HMIS	Health Hazards 2 Health Hazards 2	Flammability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards - Personal Protection
				X
Prepared By	23 British	Stewardship American Blvd. NY 12110 2-6501		
Issuing Date	05-Jun-2015			
Revision Date Revision Note	05-Jun-20 No inform	015 nation available		

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### End of Safety Data Sheet

