Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: Spray Products Starting Fluid
Product Code: SP-065512A SP-065516A

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Use: Starting fluid.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Spray Products Corporation

P.O. Box 737 Norristown PA

19404

Telephone Number: 1-610-277-1010

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone Number: CHEMTREC: 1-800-424-9300

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL

Hazard class

Flammable Aerosol 1
Gases Under Pressure - Dissolved Gas
Acute toxicity 4 (Oral)
Skin irritation 2
Specific target organ toxicity - Single exposure 3
Aspiration hazard 1

2.2 LABEL ELEMENTS

Hazard Pictogram:









Signal Word: Danger

Hazard Statement: Extremely flammable aerosol. Contains gas under pressure; may

explode if heated. Harmful if swallowed. Causes skin irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. -No

smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-

ventilated area.

Trade Name: Spray Products Starting Fluid

Response: If swallowed: Immediately call a poison center/doctor. Rinse mouth.

Do NOT induce vomiting. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a

poison center/doctor if you feel unwell.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50 °C / 122 °F. Store in a well-ventilated place. Keep container

tightly closed. Store locked up.

Disposal: Dispose of contents and container in accordance with all local,

regional, national and international regulations.

2.3 ADDITIONAL INFORMATION

Hazards not otherwise

classified: Not applicable.

6.0 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Ingredient	CAS No	Wt. %
Heptane	142-82-5	30 - 40
Ethyl ether	60-29-7	50 - 60
Carbon dioxide	124-38-9	5 - 10

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye: In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes. If easy to do, remove contact lenses, if worn. Get

medical attention.

Skin: In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes. Wash clothing before

reuse. Call a physician if irritation develops and persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical

advice/attention.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious

person. Get immediate medical advice/attention.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye: May cause eye irritation. Symptoms may include discomfort or pain,

excess blinking and tear production, with marked redness and

swelling of the conjunctiva.

Trade Name: Spray Products Starting Fluid

Skin: Causes skin irritation. Symptoms may include redness, edema,

drying, defatting and cracking of the skin.

Inhalation: May cause respiratory tract irritation. Vapours may cause

drowsiness and dizziness. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

Ingestion: Harmful if swallowed. May cause stomach distress, nausea or

vomiting. This product may be aspirated into the lungs and cause

chemical pneumonitis.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to Physicians: Symptoms may not appear immediately. If medical advice is needed,

have product container or label at hand.

Specific Treatments: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible).

Section 5: FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable Extinguishing Media: Powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

5.2 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Firefighters should wear full protective clothing including self contained breathing apparatus. Contents under pressure. Containers may explode when heated. Use water spray to keep fire-exposed containers cool. Vapors are heavier than air and may spread near ground to sources of ignition.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment: For small spills, mop up or soak immediately. For large spills isolate

area, and contain spill by using earth or plastic materials to dam spill and prevent runoff into bodies or water. Contain spill, then place in a suitable container. Use appropriate Personal Protective Equipment

(PPE).

Methods for Cleaning-Up: Scoop up material and place in a disposal container. Many gases are

heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Provide ventilation.

Trade Name: Spray Products Starting Fluid

Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Keep away from sources of ignition. - No smoking. Pressurized

container: Do not pierce or burn, even after use. Container may explode if heated. Avoid over-pressurizing or overfilling cylinders. Avoid breathing dust/fume/gas/ mist/vapours/spray. Avoid contact with

skin and eyes. Do not swallow. When using do not eat, drink or

smoke. (See section 8)

General Hygiene Advice: Launder contaminated clothing before reuse. Wash hands before

eating, drinking, or smoking.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep out of the reach of children. Protect from sunlight. Store in a cool,

well ventilated area. Do not store at temperatures above 49 °C / 120 °F.

(See section 10)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits			
Ingredient	OSHA-PEL ACGIH-TI		
Heptane	400 ppm	400 ppm	
	400 ppm TWA		
Ethyl ether	1200 mg/m ³ TWA	400 ppm	
Carbon dioxide	5000 ppm	5000 ppm	

8.2 EXPOSURE CONTROLS

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust,

fume, vapor, etc.) below recommended exposure limits. Use only non-sparking tools. Use explosion-proof ventilation equipment.

8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

Skin Protection:

Hand Protection: Wear solvent resistant gloves.Body Protection: Wear suitable protective clothing.

Respiratory Protection: A NIOSH approved organic vapor respirator is recommended in poorly

ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for

respiratory protection (Z88.2).

General Health and Safety

Measures:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

Trade Name: Spray Products Starting Fluid Print date: 2013-

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Aerosol.

Color: Colorless.

Odor: Odorless.

Odor Threshold: Not available.

Physical State: Gas/Pressurized Liquid.

pH: Not available.Melting Point/Freezing Point: Not available.

Initial Boiling Point and Boiling Range: 95 – 200 °C (203 – 392 °F)

Flash Point:

Evaporation Rate:

> 1 (BA = 1)

Flammability:

Lower Flammability/Explosive Limit:

Upper Flammability/Explosive Limit:

Vapor Pressure:

Not available.

Not available.

Not available.

Vapor Density:

> 1 (Air = 1)

Relative Density/Specific Gravity: 0.7

Solubility: Slight.

Partition coefficient: n-octanol/water: Not available.

Auto-ignition Temperature: Not available.

Decomposition Temperature: Not available.

Viscosity: 2 cSt

Oxidizing Properties: Not available.

Explosive Properties: Not available.

Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not pierce or burn, even after use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Heat. Sources of ignition. Incompatible materials.

Trade Name: Spray Products Starting Fluid

02-13

Print date: 2013-

10.5 INCOMPATIBLE MATERIALS

Nitric plus acetic acids, nitric plus sulfuric acid, amines, strong oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

Eye: May cause eye irritation. Symptoms may include discomfort or pain,

excess blinking and tear production, with marked redness and swelling of

the conjunctiva.

Skin: Causes skin irritation. Symptoms may include redness, edema, drying,

defatting and cracking of the skin.

Ingestion: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

This product may be aspirated into the lungs and cause chemical

pneumonitis.

Inhalation: May cause respiratory tract irritation. Vapours may cause drowsiness and

dizziness. Intentional misuse by deliberately concentrating and inhaling

the contents may be harmful or fatal.

Acute Toxicity:

Ingredient	LC50	LD50
Heptane	Inhalation 103 g/m³ 4hr, rat	Dermal 3000 mg/kg, rabbit
·		Oral 1215 mg/kg, rat
Ethyl ether	Not available.	Dermal >20 mL/kg, rabbit
Carbon dioxide	Not available.	Not available.

Calculated overall Chemical Acute Toxicity Values		
LC50 (inhalation) LD50 (oral) LD50 (dermal)		
66 mg/L 4 h, rat	1257 mg/kg, rat	3908 mg/kg, rabbit

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*	
Heptane	Not listed.	
Ethyl ether	Not listed.	
Carbon dioxide	Not listed.	

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Based on available data, the classification criteria are not met.

Respiratory Sensitization: Based on available data, the classification criteria are not met.

Skin Sensitization: Based on available data, the classification criteria are not met.

STOT-Single Exposure: May cause respiratory irritation. May cause drowsiness or

dizziness.

Trade Name: Spray Products Starting Fluid

02-13

Print date: 2013-

Chronic Health Effects:

Carcinogenicity: Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Developmental: Based on available data, the classification criteria are not met.

Fertility: Based on available data, the classification criteria are not met.

STOT-Repeated Exposure: Based on available data, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Toxicologically Synergistic

Materials:Not available.Other Information:Not available.

Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Not available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Not available.

12.4 MOBILITY IN SOIL

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal Method: This material must be disposed of in accordance with all

local, state, provincial, and federal regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a

safe way.

Other disposal recommendations: Not available.

Section 14: TRANSPORT INFORMATION

14.1 UN NUMBER

UN1950

14.2 UN PROPER SHIPPING NAME

AEROSOLS, flammable

Trade Name: Spray Products Starting Fluid Print date: 2013-

14.3 TRANSPORT HAZARD CLASS (ES)

2.1

14.4 PACKING GROUP

Not applicable.

14.5 ENVIRONMENTAL HAZARDS

Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Do not handle until all safety precautions have been read and understood.

14.7 SPECIAL PRECAUTIONS FOR USER

Not available.

Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Heptane	Not listed.	Not listed.	Not listed.	Not listed.
Ethyl ether	Not listed.	Not listed.	100	Not listed.
Carbon dioxide	Not listed.	Not listed.	Not listed.	Not listed.

State Regulations

California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories:

Ingredient	USA TSCA
Heptane	Yes.
Ethyl ether	Yes.
Carbon dioxide	Yes.

NFPA National Fire Protection Association:		
Health: 2		
Fire:	4	
Reactivity:	0	

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

Trade Name: Spray Products Starting Fluid

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

- 3 The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

- 1 Known to be carcinogens.
- 2 Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Date of Preparation: February 13, 2013

Version: 1.0

Revision Date: February 13, 2013

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: Nexreg Compliance Inc.

Phone: (519) 488-5126

www.nexreg.com

Prepared for: Spray Products Corporation

End of Safety Data Sheet

Trade Name: Spray Products Starting Fluid

02-13

Print date: 2013-