

Protection That Goes The Distance



The Shell Rotella Lubrication Limited Warranty for heavy duty diesel engines brought to you by the world's #1 Lubricants Supplier*

- Free warranty with purchase and use of Shell Rotella® T Triple Protection®, Shell Rotella® T5 Synthetic Blend, up to 10 years 300,000 miles, or Shell Rotella® T6 Full Synthetic heavy duty engine oil, up to 10 years-500,000 miles, whichever comes first
- Covers ten (10) heavy duty diesel engine parts for do-it-yourself and installed customer oil changes
- Transferable up to 75,000 miles
- Some conditions apply

The term "Shell Lubricants" refers to the various Shell Group companies engaged in the lubricants business.

* Shell Lubricants companies lead the lubricants industry for the fourth consecutive year; based on Kline & Company, "Global Lubricants Industry 2009: Market Analysis and Assessment, 2009- 2019"

Our Warranty

The Shell Rotella Lubrication Limited Warranty for heavy duty diesel engines brought to you by the world's #1 Lubricants Supplier*

Please read this important information about our warranty before you enroll.

HOW MUCH WILL THIS COST ME?

The Shell Rotella Lubrication Limited Warranty for heavy duty diesel engines is FREE with the purchase and use of Shell Rotella® T Triple Protection®, Shell Rotella® T5 Synthetic Blend or Shell Rotella® T6 Full Synthetic engine oil or Shell Rotella® engine oil service, up to 10 years-500,000 miles, whichever comes first.

WHAT DO I NEED TO DO?

1. Use an eligible Shell Rotella® engine oil. The warranty takes effect six (6) months after your first purchase of an eligible Shell Rotella® heavy duty diesel engine oil.
2. To maintain warranty, SOPUS Products, at a minimum, requires you to service your vehicle's engine with an eligible Shell Rotella® heavy duty engine oil, in the service classification and viscosity grade that is appropriate for your vehicle as recommended by your vehicle manufacturer. You should change your vehicle's oil and oil filter at least as often as your vehicle manufacturer recommends (refer to your owner's manual), and keep your receipts.
3. Enroll online at www.rotellawarranty.com.
4. Update your oil change records online at least once every twelve (12) months, even if no oil change has taken place, on the Shell Rotella Lubrication Limited Warranty website so you can maintain your coverage.**

DOES MY VEHICLE QUALIFY FOR COVERAGE UNDER THE SHELL ROTELLA LUBRICATION LIMITED WARRANTY FOR HEAVY DUTY DIESEL ENGINES?

To qualify, your vehicle must be a Class 2 – Class 8 with a heavy duty diesel engine used in on-road applications with a gross vehicular weight of 80,000 pounds or less that you own or lease, and which has been driven 50,000 miles or less when you first used an eligible Shell Rotella® engine oil and whose manufactured date is within the last 24 months of your first use of an eligible Shell Rotella® engine oil ("Eligible Vehicle").

WHAT DOES THE SHELL ROTELLA LUBRICATION LIMITED WARRANTY FOR HEAVY DUTY DIESEL ENGINES COVER?

This Shell Rotella Lubrication Limited Warranty covers Class 2 – Class 8 vehicles with heavy duty diesel engines used in on-road applications. When registered, this warranty provides coverage for repair or replacement of certain heavy duty engine parts that fail on account of engine wear or which experience abnormal wear, because Shell Rotella® heavy duty diesel engine oil failed to provide proper lubrication.

- Up to 10 years or 500,000 miles (whichever is first) – If you exclusively use Shell Rotella® T6 Full Synthetic engine oil
- Up to 10 years or 300,000 miles (whichever is first) – If you exclusively use Shell Rotella® T Triple Protection® 15W-40 or Shell Rotella® T5 Synthetic Blend 10W-30, 10W-40 engine oils

This outstanding protection can be yours by using an eligible Shell Rotella® engine oil now, and with every oil change. The Shell Rotella Lubrication Limited Warranty gives you the advantage of added protection for your vehicle.

* The term "Shell Lubricants" refers to the various Shell Group companies engaged in the lubricants business. *Shell Lubricants companies lead the lubricants industry for the fourth consecutive year; based on Kline & Company, "Global Lubricants Industry 2009: Market Analysis and Assessment, 2009- 2019"

** By state law, California residents are not required to register online. California residents not registering online must comply with all other [terms and conditions](#) of the Shell Rotella Lubrication Limited Warranty.

Shell Rotella® Products

Shell Rotella® Energized Protection heavy duty engine oils are formulated with unique adaptive technology that reacts physically and chemically to meet the ever-changing needs of an engine.



Shell Rotella® T6 Full Synthetic

- SAE 5W-40 (CJ-4)
- Offers fuel economy savings up to 1.5%* for an annual savings up to \$750 per truck
- Provides excellent engine cleanliness and wear protection
- Offers improved high/low temperature protection and extended-drain capability**

- Provides unsurpassed protection against shear-stability degradation, compared to the leading competitive API CJ-4 5W-40 products, to help maintain consistent viscosity and oil pressure in the engine

* As demonstrated in 2009 on-the-road medium-duty truck field testing, highway cycles, compared to Shell Rotella® T Triple Protection® 15W-40. Trucks covering 100,000 miles per year. ** Compared to Shell Rotella® T3 15W-40.

Shell Rotella® T5 Synthetic Blend Technology



- SAE 10W-30, 10W-40 (CJ-4)
- Designed to provide fuel economy savings, extended-drain capability, enhanced engine cleanliness, improved low-temperature flow and excellent wear protection
- Offers fuel-economy savings of up to 1.6%* for an annual savings up to \$801 per truck
- Provides protection against acid buildup, as demonstrated through TAN (Total Acid Number) increase and lead corrosion in several industry-standard engine tests. By controlling TAN increase, Shell Rotella® T5 can help equipment owners optimize oil-drain intervals
- Provides excellent wear control, particularly in preventing bore polish in the cylinder liners

* As demonstrated in 2009 on-the-road medium duty truck field testing for 10W-30 viscosity grade only, highway cycles, compared to Shell Rotella® T Triple Protection® 15W-40. Trucks covering 100,000 miles per year. Diesel fuel at \$3/gal.

Shell Rotella® T Triple Protection®



- SAE 15W-40, 10W-30 (CJ-4)
- Triple-action helps control wear, deposits and emissions
- Proven on the road in more than 50 million miles of durability testing: Offers up to 22% reduction in iron wear compared to Shell Rimula® Super SAE 15W-40 (CJ-4)
- Controls deposits and sludge and promotes piston cleanliness
- Proven in the lab: Provides on average 50%* lower wear in industry-recognized engine tests. Maximum wear merits demonstrated in Cummins ISM engine test (1400 out of 1400)

* Range of 27% - 88%