Printing date 08/05/2015 Reviewed on 08/05/2015

#### 1 Identification

- · Product identifier
- · Trade name: Slime Quick Spair
- · Recommended use and restriction on use
- · Recommended use:

Sealant

· Restrictions on use:

No further relevant information available.

- · Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

(North America) ITW Global Tire Repair 125 Venture Drive, Suite 210, San Luis Obispo, CA 93401 Tel (805) 489-0490



(Europe)

ÌTW Ġlobal Tire Repair, Europe GmbH Carl-Benz Str. 10, 88696 Owingen, Germany Tel 0049 7551-9200-100

Only representative of a non-Community manufacturer H2 Compliance Rubicon Building, CIT Campus, Bishopstown, Cork, Ireland Tel +353 21 486 8122 E-Mail info@h2compliance.com

- · Information department: Product Safety Department
- Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

Hazard pictograms

(Contd. of page 1)





**GHS04 GHS08** 

- · Signal word Danger
- · Hazard-determining components of labeling:

Solvent naphtha (petroleum), heavy arom.

**Hazard statements** 

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P301+P310 If swallowed: Immediately call a poison center/doctor.

P331 Do NOT induce vomiting.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 1

· HMIS-ratings (scale 0 - 4)



• Health = 0 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
	Norflurane	10-25%
	Press. Gas, H280 Simple Asphyxiant	
64742-94-5	Solvent naphtha (petroleum), heavy arom.	10-25%
	♦ Asp. Tox. 1, H304	
	ammonia, aqueous solution	< 0.5%
	♦ Skin Corr. 1B, H314; Eye Dam. 1, H318	
(Contd. on pa		on page 3)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

(Contd. of page 2)

Additional information: For the wording of the listed Hazard Statements refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Do not pull solidified product away from the skin.

Clean with water and soap.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

· After swallowing:

Rinse out mouth and then drink plenty of water.

A person vomiting while lying on their back should be turned onto their side.

Do not induce vomiting; immediately call for medical help.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Danger

Danger of pulmonary edema.

Danger of impaired breathing.

· Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

Medical supervision for at least 48 hours.

If swallowed or in case of vomiting, danger of entering the lungs.

#### **5 Fire-fighting measures**

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

In certain fire conditions, traces of other toxic gases cannot be excluded.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

(Contd. on page 4)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

(Contd. of page 3)

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

Organic solvent

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Provide ventilation for receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from frost.

Store receptacle in a well ventilated area.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

811-97-2 Norflurane

WEEL (USA) Long-term value: 1000 ppm

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid close or long term contact with the skin.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

- **Engineering controls:**
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands:

Not required under normal conditions of use.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Not required.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Safety glasses

· Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol

**Color:** Different according to coloring

Odor: Ammonia-likeOdor threshold: Not determined.

• pH-value at 20 °C (68 °F): < 9.5

(Contd. on page 6)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

(Contd. of page 5)

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: -1 °C (30 °F)

Not applicable, as aerosol.

· Flash point: Not applicable, as aerosol.

Flammability (solid, gaseous): Not applicable.
 Auto-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Not determined.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

• Vapor pressure: Not determined.

• **Density at 20 °C (68 °F):** 0.98 g/cm³ (8.178 lbs/gal)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not applicable.

· Solubility in / Miscibility with

Water: Fully miscible.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Other information No further relevant information available.

### 10 Stability and reactivity

- · **Reactivity** No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with peroxides and other radical forming substances.

Reacts with reducing agents.

Reacts with strong acids and alkali.

Develops readily flammable gases / fumes.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

(Contd. on page 7)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

(Contd. of page 6)

Irritant gases/vapors Sulfur oxides (SOx) Nitrogen oxides

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Probable Routes of Exposure
- Repeated Dose Toxicity: May cause damage to organs through prolonged or repeated exposure.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

The product contains materials that are harmful to the environment.

Due to the consistence and the low watersolubility of the product a bioavailability is not probable.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

(Contd. of page 7)

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent:

Solvent naphtha

Water, if necessary with cleansing agents.

### 14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA UN1950

· UN proper shipping name

DOT, IATA
 ADR
 IMDG
 AEROSOLS, Non-Flammable
 1950 AEROSOLS, Non-Flammable
 AEROSOLS, Non-Flammable

· Transport hazard class(es)

· DOT



• Class 2.2 • Label 2.2

· ADR



ClassLabel2.2 5A2.2

· IMDG, IATA



· Class 2.2 · Label 2.2

· Packing group

· DOT, ADR, IMDG, IATA Not Regulated

(Contd. on page 9)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

· Environmental hazards: (Contd. of page 8)

Environmental nazaros:

· Marine pollutant: No

Special precautions for user
 EMS Number:
 Segregation groups
 Not applicable.
 F-D,S-U
 Alkalis

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• **Quantity limitations** On passenger aircraft/rail: 75 kg

On cargo aircraft only: 150 kg

· **Remarks:** Non-flammable Gas Consumer Commodity (ORM-D)

· ADR

· Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· IMDG

· Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

UN "Model Regulation": UN1950, Aerosols, 2.2

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

64742-94-5 Solvent naphtha (petroleum), heavy arom.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

Carcinogenic categories

(Contd. of page 9)

EPA (Environmental Protection Agency)

None of the ingredients is listed.

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

State Right to Know Listings

None of the ingredients is listed.

- · Canadian substance listings:
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 08/05/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Press. Gas: Gases under pressure: Compressed gas Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

(Contd. on page 11)

Printing date 08/05/2015 Reviewed on 08/05/2015

Trade name: Slime Quick Spair

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Sources

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

(Contd. of page 10)