



SAFETY DATA SHEET	Revision Date: 07/17/2017
	Print Date: 11/2/2017
	SDS Number: R0412087
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version: 1.6
822405	

29 CFR 1910.1200 (OSHA HazCom 2012) SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

:

Product identifier

Trade name

Valvoline[™] ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid

Details of the supplier of the safety data	Emergency telephone number
sheet	1-800-VALVOLINE (1-800-825-8654)
Valvoline LLC	
100 Valvoline Way	Regulatory Information Number
Lexington, KY 40509	1-800-TEAMVAL (1-800-8326-825)
United States of America (USA)	
1-800-TEAMVAL (1-800-8326-825)	Product Information
, , , , , , , , , , , , , , , , , , ,	1-800-TEAMVAL (1-800-8326-825)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
HYDROTREATED LIGHT PARAFFINIC DISTILLATE		This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).	39.88



SAFETY DATA SHEETRevision Date: 07/17/2017Print Date: 11/2/2017Print Date: 11/2/2017Valvoline™ ATF DEXRON-VI Full Synthetic Automatic
Transmission FluidVersion: 1.6822405S2405

Page: 2

MINERAL OIL	This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).	7.182
METHACRYLATE COPOLYMER	Eye Irrit. 2A; H319	2.382

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye.
If swallowed	:	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Acute aspiration of large amounts of oil-laden material may produce a serious aspiration pneumonia. Patients who aspirate these oils should be followed for the development of long-term sequelae. Repeated aspiration of small quantities of mineral oil can produce chronic inflammation of the lungs (i.e. lipoid pneumonia) that may progress to pulmonary fibrosis. Symptoms are often subtle and radiological changes appear worse than clinical abnormalities. Occasionally, persistent cough, irritation of the upper respiratory tract, shortness of breath with exertion, fever, and bloody sputum occur. Inhalation exposure to oil mists below current workplace exposure limits is unlikely to cause pulmonary abnormalities.
		Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:



Revision Date: 07/17/2017

Print Date: 11/2/2017 SDS Number: R0412087

Version: 1.6

Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid

822405

stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways)

Notes to physician	: No hazards which require special first aid measures.
--------------------	--

SECTION 5. FIREFIGHTING MEASURES

SAFETY DATA SHEET

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	carbon dioxide and carbon monoxide Hydrocarbons
Specific extinguishing methods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Persons not wearing protective equipment should be exclud from area of spill until clean-up has been completed. 	ed
Environmental precautions	Prevent further leakage or spillage if safe to do so.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	
Other information	: Comply with all applicable federal, state, and local regulation	ns.



Page: 4

SAFETY DATA SHEET	Revision Date: 07/17/2017
	Print Date: 11/2/2017
	SDS Number: R0412087
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version: 1.6
822405	

SECTION 7. HANDLING AND STORAGE Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	TWA	5 mg/m3 Mist	OSHA Z-1
		TWA	5 mg/m3 Inhalable fraction	ACGIH
		TWA	5 mg/m3 Mist	OSHA P0
		TWA	5 mg/m3 Mist	NIOSH REL
		ST	10 mg/m3 Mist	NIOSH REL
		PEL	5 mg/m3 particulate	CAL PEL
MINERAL OIL		TWA	5 mg/m3 Mist	OSHA Z-1
		TWA	5 mg/m3 Inhalable fraction	ACGIH
		TWA	5 mg/m3 Mist	OSHA P0
		TWA	5 mg/m3 Mist	NIOSH REL
		ST	10 mg/m3 Mist	NIOSH REL
		PEL	5 mg/m3 particulate	CAL PEL

Hazardous components without workplace control parameters

Components	CAS-No.
METHACRYLATE	
COPOLYMER	

Engineering measures

: General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions



SAFETY DATA SHEET	Revision Date: 07/17/2017
	Print Date: 11/2/2017
	SDS Number: R0412087
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version: 1.6
822405	

	exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.
Personal protective equipment Respiratory protection :	No personal respiratory protective equipment normally required.
Eye protection :	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Skin and body protection :	Wear as appropriate: Safety shoes Wear resistant gloves (consult your safety equipment supplier).
Hygiene measures :	General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Colour	:	red
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 356 °F / > 180 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	6 %(V) GLP: Calculated Explosive Limit



SAFETY DATA SHEET	Revision Date: 07/17/2017
	Print Date: 11/2/2017
	SDS Number: R0412087
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version: 1.6
822405	

Lower explosion limit	:	1 %(V) GLP: Calculated Explosive Limit
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.849 g/cm3 (15.56 °C)
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Thermal decomposition	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	29.5 mm2/s (40 °C)
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Conditions to avoid	: excessive heat
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	carbon dioxide and carbon monoxide Hydrocarbons



SAFETY DATA SHEET	Revision Date: 07/17/2017
	Print Date: 11/2/2017
	SDS Number: R0412087
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version: 1.6
822405	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation exposure : Skin contact Eye Contact Ingestion

Acute toxicity

Not classified based on available information. **Skin corrosion/irritation** Not classified based on available information. <u>Components:</u> HYDROTREATED LIGHT PARAFFINIC DISTILLATE: Result: Slight, transient irritation

MINERAL OIL: Result: Slight, transient irritation

METHACRYLATE COPOLYMER: Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information. <u>Product:</u> Remarks: Unlikely to cause eye irritation or injury.

Components:

HYDROTREATED LIGHT PARAFFINIC DISTILLATE: Result: Slight, transient irritation

MINERAL OIL: Result: Slight, transient irritation

METHACRYLATE COPOLYMER: Result: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. Germ cell mutagenicity Not classified based on available information. **Carcinogenicity** Not classified based on available information. **Reproductive toxicity** Not classified based on available information. **STOT - single exposure** Not classified based on available information. **STOT - repeated exposure** Not classified based on available information. **STOT - repeated exposure** Not classified based on available information. **STOT - repeated exposure** Not classified based on available information.

Page: 8



SAFETY DATA SHEET	Revision Date: 07/17/2017
	Print Date: 11/2/2017
	SDS Number: R0412087
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version: 1.6
822405	

Not classified based on available information. <u>Product:</u> No aspiration toxicity classification

Further information <u>Product:</u> Remarks: No data available

Carcinogenicity:

Carcinogenicity.	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity <u>Product:</u> Ecotoxicology Assessment Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.
Persistence and degradabilit No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects No data available <u>Product:</u> Additional ecological information	у :	No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice

: Dispose of in accordance with all applicable local, state and



Page: 9

SAFETY DATA SHEET	Revision Date: 07/17/2017
	Print Date: 11/2/2017
	SDS Number: R0412087
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version: 1.6
822405	

federal regulations.

Contaminated packaging

: Empty remaining contents.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	------------------	-----------------------	------------------	------------------------------------

U.S. DOT - ROAD

ſ	Not dangerous goods
	Not dangerous goods
Г	

CFR_RAIL_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods	MARINE
	POLLUTANT:(
	HETEROCYCL
	IC ETHER,
	OLEYLAMINE)

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods



SAFETY DATA SHEET	Revision Date: 07/17/2017
	Print Date: 11/2/2017
	SDS Number: R0412087
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version: 1.6
822405	

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

|--|

MX_DG

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant		no	
------------------	--	----	--

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity This material does not contain any components with a CERCLA RQ. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ.		
SARA 311/312 Hazards	No SARA Hazards	
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.	
The components of this produce DSL :	ct are reported in the following inventories: This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.	
AICS :	On the inventory, or in compliance with the inventory	
ENCS :	Not in compliance with the inventory	
KECI :	On the inventory, or in compliance with the inventory	
PICCS :	On the inventory, or in compliance with the inventory	
IECSC :	On the inventory, or in compliance with the inventory	



SAFETY DATA SHEET	Revision Date: 07/17/2017
	Print Date: 11/2/2017
	SDS Number: R0412087
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version: 1.6
822405	

TSCA

: On TSCA Inventory


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 07/17/2017



NFPA Flammable and Combustible Liquids Classification Combustible Liquid Class IIIB

Full text of H-Statements

H319 Causes serious eye irritation.

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).



SAFETY DATA SHEET	Revision Date: 07/17/2
	Print Date: 11/2/2
	SDS Number: R0412
Valvoline™ ATF DEXRON-VI Full Synthetic Automatic Transmission Fluid	Version:
822405	

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

HMIRC : Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System