SAFETY DATA SHEET CABLE LUBRICANT PACK LOGIX, Inc.

Page 1 of 3 Revision Date: 10/15/2013

Section 1: Chemical Product and Company Identification

Product Name: Cable Lubricant Product Number: C-45

Manufacturer: PACK LOGIX Inc.

5700 West Douglas Ave. Emergency Telephone: 800-535-5053

Milwaukee, WI 53218

Total Pages: 3 Information Telephone: 414-464-7200

Section 2: Hazards Identification

Route(s) of Entry: Inhalation Skin Eyes Ingestion

Yes Yes Yes

Health Hazard: Acute: May cause eye irritation. **Chronic:** Skin dryness and irritation

Symptoms of Exposure: Prolonged exposure might affect the central nervous system.

And cause respiratory irritation.

Section 3: Hazardous Ingredient Identity Information

<u>Hazardous Ingredients</u> <u>CAS</u> <u>OSHA PEL</u> <u>ACGIH TLV</u> <u>%</u>

Mineral Spirits 8002-05-9 100ppm 90-95

Graphite 7782-42-5 2.5mg/M³

Section 4: First Aid Measures

Eyes: Flush eyes with water for 10 minutes. If redness persists get medical attention.

Inhalation: provide fresh air and rest.

Ingestion: Do not induce vomiting; call a physician.

Skin: Wash with soap and water

Carcinogen: No.

Section 5: Fire Fighting Measures

Flush Point (Method Used): 102°F TCC

Flammable Limits (% by Vol.) LEL: 1.1 UEL: 6.0

Fire Extinguishing Media: Foam \underline{X} CO2 \underline{X} Dry Chemical \underline{X} Water Fog \underline{X} Other \underline{X}

Special Fire Fighting Procedures: NONE

Unusual Fire and Explosion Hazards: A vapor accumulation could flash at 102°F.

Hazardous Products Formed by Fire or Thermal Decomposition: Smoke, carbon monoxide and or

carbon dioxide

Section 6: Accidental Release Measures

Recover free product. Use absorbent on spill areas. Keep product oft of sewers and water ways. Avoid skin contact.

Page 2 of 3 Revision Date: 10/15/2013

Section 7: Handling and Storage

Keep containers closed when not in use. Do not handle or store near excess heat, sparks or open flame. Keep out of reach of children. Do not ingest.

Section 8: Exposure Controls / Personal Protection

Ventilation – **Local:** General shop ventilation usually adequate.

Mechanical: If needed to control fumes, mist or spray

Respiratory Protection: None required in normal use. **Protective Gloves:** Neoprene or nitrile gloves recommended.

Eye Protection: Safety glasses or goggles recommended when eye contact may occur.

Other Protection: Not generally required with this product.

Hygienic Practices: Wash hand with soap and water after handling product. Remove contaminated

clothing and launder before reuse.

Special Precautions: Keep containers closed when not in use. Do not handle or store near excess heat,

sparks or open flame. Keep out of reach of children. Do not ingest.

Section 9: Physical / Chemical Characteristics

Boiling Point (760mm Hg): 320°F Vapor Density (Air=1): 4.7

Evaporation Rate (Butyl Acetate=1): 0.22

Solubility in Water: Negligible

Specific Gravity (Water=1): 0.78 Vapor Pressure (mm Hg@25°C): 2.0

% Volatile (Vol %): 90 Wt/gal (lbs): 6.50

Appearance and Odor: Black thin liquid, "Solvent" like odor.

Section 10: Stability and Reactivity

Product is: Stable X Unstable

Conditions to Avoid:

Incompatibility (Materials to avoid): Strong oxidizing agents **Hazardous Polymerization:** Will Not Occur X May Occur

Section 11: Toxicology Information

None available

Section 12: Ecological Information

None available

Section 13: Disposal Considerations

Incinerate or bury according to local, state and federal regulations.

Section 14: Transportation Information

Not regulated.

Section 15: Regulatory Information

Safety Data Sheet CABLE LUBRICANT

Page 3 of 3 Revision Date: 10/15/2013

SARA Title III $\P 302$, 304, 311 & 312 — Components in this product at a level which could require reporting under this statute are: NONE

SARA Title III $\P 313$ – Components present in this product which may require reporting under this statute are: NONE

Section 16: Other Information

Disclaimer: The information contained herein is based on data available. However, no warranty is expressed or implied regarding the accuracy of the data or the results obtained from use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for its use.