

Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0257864

Version: 1.1

Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID

VV720

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name

: Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet	Emergency telephone number 1-800-VALVOLINE
Valvoline LLC 3499 Blazer Parkway Lexington, KY 40509	Regulatory Information Number 1-800-TEAMVAL
United States of America	Product Information 1-800-TEAMVAL
SDS@valvoline.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS Label element

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Chemical nature : Defatter

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
HYDROTREATED PARAFFINIC		Not a hazardous	95.00
DISTILLATES - MIXTURE		substance or mixture.	

Valvoline.	Page: 2
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0257864
Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID	Version: 1.1
VV720	

General advice : No hazards which require special first aid measures. If inhaled : If breathed in, move person into fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water. In case of eye contact : Remove contact lenses. Protect unharmed eye. If swallowed : Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Most important symptoms : Acute aspiration of large amounts of oil-laden material may produce a serious aspiration pneumonia. Patients who and effects, both acute and delayed aspirate these oils should be followed for the development of long-term sequelae. Repeated aspiration of small quantities of mineral oil can produce chronic inflammation of the lungs (i.e. lipoid pneumonia) that may progress to pulmonary fibrosis. Symptoms are often subtle and radiological changes appear worse than clinical abnormalities. Occasionally, persistent cough, irritation of the upper respiratory tract, shortness of breath with exertion, fever, and bloody sputum occur. Inhalation exposure to oil mists below current workplace exposure limits is unlikely to cause pulmonary abnormalities. Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways) : No hazards which require special first aid measures. Notes to physician

SECTION 5. FIREFIGHTING MEASURES

SECTION 4. FIRST AID MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0257864

Version: 1.1

Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID

VV720

		Water spray Foam Carbon dioxide (CO2) Dry chemical
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	carbon dioxide and carbon monoxide
Specific extinguishing methods	:	
		Product is compatible with standard fire-fighting agents.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.	
Environmental precautions	: Prevent further leakage or spillage if safe to do so.	
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. 	
Other information	: Comply with all applicable federal, state, and local regulations.	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.
Conditions for safe storage	: Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: No materials to be especially mentioned.

Valvoline.	Page: 4
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0257864
Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID	Version: 1.1
VV720	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
HYDROTREATED PARAFFINIC DISTILLATES - MIXTURE		REL	5 mg/m3 Mist.	NIOSH/GUID E
		STEL	10 mg/m3 Mist.	NIOSH/GUID E
		PEL	5 mg/m3 Mist.	OSHA_TRA NS
		TWA	5 mg/m3 Mist.	TN OEL
		TWA	5 mg/m3 Inhalable fraction.	ACGIH
Engineering measures	conditions of exist, provide exhaust) vent guidelines (if suspected or	use. However, i sufficient mecha ilation to mainta	ald be adequate for no f unusual operating c anical (general and/or in exposure below ex slow levels that cause se effects.	onditions [·] local posure
Personal protective equipmen		_		
Respiratory protection	: No personal r required.	espiratory prote	ctive equipment norm	ally
Eye protection		Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.		
Skin and body protection	: Wear as appr Safety shoes Wear resistar supplier).		t your safety equipme	ent
Hygiene measures	: General indus	strial hygiene pra	actice.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: li	iquid
Odour	: 1	No data available



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0257864

Version: 1.1

Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID

VV720

Odour Threshold	: No data available	
рН	: No data available	
Melting point/freezing point	: No data available	
Boiling point/boiling range	: No data available	
Flash point	: 399.9 °F / 204.4 °C Method: Cleveland open cup	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: 0.882 g/cm3 (15.6 °C)	
Solubility(ies) Water solubility	: negligible	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Thermal decomposition	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	
Oxidizing properties	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.



Revision Date: 07/31/2016

Print Date: 11/1/2016

SDS Number: R0257864 Version: 1.1

Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID

VV720

Possibility of hazardous : reactions	Product will not undergo hazardous polymerization.
Incompatible materials :	Strong oxidizing agents
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Eye Contact
		Ingestion

Acute toxicity

Not classified based on available information. **Skin corrosion/irritation** Not classified based on available information. **Product:** Result: Repeated exposure may cause skin dryness or cracking.

<u>Components:</u> HYDROTREATED PARAFFINIC DISTILLATES - MIXTURE: Result: Mildly irritating to skin

Serious eye damage/eye irritation Not classified based on available information. Product: Remarks: Unlikely to cause eye irritation or injury.

Components:

HYDROTREATED PARAFFINIC DISTILLATES - MIXTURE: Result: Mildly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT - single exposure Not classified based on available information. STOT - repeated exposure Not classified based on available information.



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0257864

Version: 1.1

Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID

VV720

Aspiration toxicity

Not classified based on available information. **Further information Product:** Remarks: No data available

Carcinogenicity: IARC

OSHA

- <u>-</u>	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available **Persistence and degradability** No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological : No data available information

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
General advice	: Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	: Empty remaining contents.

Valvoline	Page: 8
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0257864
Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID	Version: 1.1
VV720	

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

<u>MX_DG</u>

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Valvoline.	Page: 9
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0257864
Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID	Version: 1.1
VV720	

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

SARA 311/312	2 Hazards	: No SARA Hazards			
SARA 313 Component(s	nponent(s)SARA 313 known CAS number		not contain any chemical components with rs that exceed the threshold (De Minimis) ablished by SARA Title III, Section 313.		
Pennsylvania	Right To Know HYDROTREA DISTILLATES	TED PARAFFINIC	Not Assigned	90.00 - 100.00 %	
	PROPRIETAR	RY ADDITIVES	Not Assigned	10.00 - 20.00 %	
New Jersey R	ight To Know HYDROTREA DISTILLATES	ATED PARAFFINIC S - MIXTURE	Not Assigned	90.00 - 100.00 %	
	PROPRIETAR	RY ADDITIVES	Not Assigned	10.00 - 20.00 %	
California Pro The compone TSCA		This product does not co of California to cause cau reproductive harm. Juct are reported in the foll : On the inventory, or in co	ncer, birth defects, c owing inventories:	or any other	
DSL		: Not in compliance with th	e inventory		
AUSTR		: Not in compliance with th	e inventory		
NZIOC		: Not in compliance with th	e inventory		
ENCS		: Not in compliance with th	e inventory		
KECL		: Not in compliance with th	e inventory		
PICCS		: Not in compliance with th	e inventory		
IECSC		: Not in compliance with th	ne inventory		

Valvoline	Page: 10
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 11/1/2016
	SDS Number: R0257864
Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID	Version: 1.1
VV720	


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 07/31/2016



NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements referred to under sections 2 and 3.

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-825-8654).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists **BEI : Biological Exposure Index**



Revision Date: 07/31/2016

Print Date: 11/1/2016 SDS Number: R0257864

Version: 1.1

Valvoline™ PREMIUM UNIVERSAL TRACTOR HYDRAULIC FLUID

VV720

CAS : Chemical Abstracts Service (Division of the American Chemical Society).
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
FG : Food grade
GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
H-statement : Hazard Statement
IATA : International Air Transport Association.
IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO : International Civil Aviation Organization
ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
IMDG : International Maritime Code for Dangerous Goods
ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LČxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

HMIRC : Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System