

MATERIAL SAFETY DATA SHEET

6385  
02 00

Section 1 -- PRODUCT AND COMPANY IDENTIFICATION

| PRODUCT NUMBER | DATE OF PREPARATION | HMIS CODES                                 |
|----------------|---------------------|--|
| 6385           | 13-AUG-08           | Health 2<br>Flammability 3<br>Reactivity 0 |

PRODUCT NAME  
Plastic Cleaner/Anti-Static

MANUFACTURER'S NAME  
MARTIN SENOUR PAINTS  
4440 Warrensville Center Road  
Warrensville Hts., OH 44128-2837

TELEPHONE NUMBERS and WEBSITES  
Regulatory Information  
(216) 566-2902  
Medical Emergency  
(216) 566-2917  
Transportation Emergency (800) 424-9300 for Chemical Emergency ONLY (spill, leak, fire, exposure, or accident)

Section 2 -- COMPOSITION/INFORMATION ON INGREDIENTS

| % by WT | CAS No.  | INGREDIENT           | UNITS        | VAPOR PRESSURE |
|---------|----------|----------------------|--------------|----------------|
| 30      | 67-63-0  | 2-Propanol           |              | 33 mm          |
|         |          | ACGIH TLV            | 200 ppm      |                |
|         |          | ACGIH TLV            | 400 ppm STEL |                |
| 20      | 78-83-1  | 2-Methyl-1-propanol  |              | 8.7 mm         |
|         |          | ACGIH TLV            | 50 ppm       |                |
|         |          | OSHA PEL             | 50 ppm       |                |
| 45      | 107-98-2 | 1-Methoxy-2-propanol |              | 10.9 mm        |
|         |          | ACGIH TLV            | 100 ppm      |                |
|         |          | ACGIH TLV            | 150 ppm STEL |                |
|         |          | OSHA PEL             | 100 ppm      |                |
| 5       | 123-42-2 | Diacetone Alcohol    |              | 1.2 mm         |
|         |          | ACGIH TLV            | 50 ppm       |                |
|         |          | OSHA PEL             | 50 ppm       |                |

Section 3 -- HAZARDS IDENTIFICATION

ROUTES OF EXPOSURE  
INHALATION of vapor or spray mist.  
EYE or SKIN contact with the product, vapor or spray mist.  
Contains alcohols and acetates which can be absorbed through the skin.

Continued on page 2



---

 Section 7 -- HANDLING AND STORAGE
 

---

## STORAGE CATEGORY

DOL Storage Class IC

## PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Contents are FLAMMABLE. Keep away from heat, sparks, and open flame.

During use and until all vapors are gone: Keep area ventilated - Do not smoke - Extinguish all flames, pilot lights, and heaters - Turn off stoves, electric tools and appliances, and any other sources of ignition.

Consult NFPA Code. Use approved Bonding and Grounding procedures.

Keep container closed when not in use. Transfer only to approved containers with complete and appropriate labeling. Do not take internally. Keep out of the reach of children.

---

## Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

## PRECAUTIONS TO BE TAKEN IN USE

Use only with adequate ventilation.

Avoid contact with skin and eyes. Avoid breathing vapor and spray mist.

Wash hands after using.

## VENTILATION

Local exhaust preferable. General exhaust acceptable if the exposure to materials in Section 2 is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, 1910.108.

## RESPIRATORY PROTECTION

If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH/MSHA for protection against materials in Section 2.

## PROTECTIVE GLOVES

Wear gloves which are recommended by glove supplier for protection against materials in Section 2.

## EYE PROTECTION

Wear safety spectacles with unperforated sideshields.

## OTHER PROTECTIVE EQUIPMENT

Use of barrier cream on exposed skin is recommended.

## OTHER PRECAUTIONS

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

---

## Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

|                            |                                 |  |
|----------------------------|---------------------------------|--|
| PRODUCT WEIGHT             | 7.07 lb/gal                     | 847 g/l                                  |
| SPECIFIC GRAVITY           | 0.85                            |  |
| BOILING POINT              | 178 - 342 F                     | 81 - 172 C                               |
| MELTING POINT              | Not Available                   |  |
| VOLATILE VOLUME            | 100 %                           |  |
| EVAPORATION RATE           | Slower than ether               |  |
| VAPOR DENSITY              | Heavier than air                |  |
| SOLUBILITY IN WATER        | N.A.                            |  |
| VOLATILE ORGANIC COMPOUNDS | (VOC Theoretical - As Packaged) |  |
| 7.07 lb/gal                | 847 g/l                         | Less Water and Federally Exempt Solvents |
| 7.07 lb/gal                | 847 g/l                         | Emitted VOC                              |

Continued on page 4

---

 Section 10 -- STABILITY AND REACTIVITY
 

---

STABILITY -- Stable

CONDITIONS TO AVOID

None known.

INCOMPATIBILITY

None known.

HAZARDOUS DECOMPOSITION PRODUCTS

By fire: Carbon Dioxide, Carbon Monoxide

HAZARDOUS POLYMERIZATION

 Will not occur
 

---

 Section 11 -- TOXICOLOGICAL INFORMATION
 

---

CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

 Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage.
 

---

TOXICOLOGY DATA

| CAS No.  | Ingredient Name      |      |     |     |               |
|----------|----------------------|------|-----|-----|---------------|
| 67-63-0  | 2-Propanol           | LC50 | RAT | 4HR | Not Available |
|          |                      | LD50 | RAT |     | 5045 mg/kg    |
| 78-83-1  | 2-Methyl-1-propanol  | LC50 | RAT | 4HR | Not Available |
|          |                      | LD50 | RAT |     | 2460 mg/kg    |
| 107-98-2 | 1-Methoxy-2-propanol | LC50 | RAT | 4HR | Not Available |
|          |                      | LD50 | RAT |     | 6600. mg/kg   |
| 123-42-2 | Diacetone Alcohol    | LC50 | RAT | 4HR | Not Available |
|          |                      | LD50 | RAT |     | 4000. mg/kg   |

---

 Section 12 -- ECOLOGICAL INFORMATION
 

---

ECOTOXICOLOGICAL INFORMATION

 No data available.
 

---

 Section 13 -- DISPOSAL CONSIDERATIONS
 

---

WASTE DISPOSAL METHOD

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Incinerate in approved facility. Do not incinerate closed container. Dispose of in accordance with Federal, State/Provincial, and Local regulations regarding pollution.

Continued on page 5

---

 Section 14 -- TRANSPORT INFORMATION
 

---

## US Ground (DOT)

1 Gallon and Less may be Classed as CONSUMER COMMODITY, ORM-D  
 Larger Containers are Regulated as:  
 UN1263, PAINT RELATED MATERIAL, 3, PG III, (ERG#128)

DOT (Dept of Transportation) Hazardous Substances & Reportable Quantities  
 iso-Butyl alcohol 5000 lb RQ

Bulk Containers may be Shipped as (check reportable quantities):  
 UN1263, PAINT RELATED MATERIAL, 3, PG III, (ERG#128)

## Canada (TDG)

UN1263, PAINT RELATED MATERIAL, CLASS 3, PG III, LIMITED QUANTITY,  
 (ERG#128)

## IMO

UN1263, PAINT RELATED MATERIAL, CLASS 3, PG III, (23 C c.c.), EmS F-E,  
 S-E

---

 Section 15 -- REGULATORY INFORMATION
 

---

## SARA 313 (40 CFR 372.65C) SUPPLIER NOTIFICATION

| CAS No.   | CHEMICAL/COMPOUND | % by WT | % Element |
|---|-------------------|---------|-----------|
| No ingredients in this product are subject to SARA 313 (40 CFR 372.65C)<br>Supplier Notification. |                   |         |           |

## TSCA CERTIFICATION

All chemicals in this product are listed, or are exempt from listing,  
 on the TSCA Inventory.

---

 Section 16 -- OTHER INFORMATION
 

---

This product has been classified in accordance with the hazard criteria  
 of the Canadian Controlled Products Regulations (CPR) and the MSDS contains  
 all of the information required by the CPR.

The above information pertains to this product as currently formulated,  
 and is based on the information available at this time. Addition of  
 reducers or other additives to this product may substantially alter the  
 composition and hazards of the product. Since conditions of use are  
 outside our control, we make no warranties, express or implied, and assume  
 no liability in connection with any use of this information.