



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Certified A/C PRO Universal A/C UV Dye**  
Alternative number(s) 047876003735, 047876003834

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class                                       | Category | Hazard class and category | Hazard state-ment |
|---------|--|----------|---------------------------|-------------------|
| A.9     | specific target organ toxicity - repeated exposure | 2        | STOT RE 2                 | H373              |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects  
Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

- Signal word warning

- Pictograms

GHS08



- Hazard statements

H373 May cause damage to organs (nervous system) through prolonged or repeated exposure.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.2.1.7- Hazardous ingredients for labelling

Heavy aromatic naphtha

### 2.3 Other hazards

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.




## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

| Name of substance      | Identifier            | Wt%     | Classification acc. to GHS  | Pictograms  |
|------------------------|-----------------------|---------|---|---|
| Heavy aromatic naphtha | CAS No<br>Proprietary | 1 – < 5 | STOT SE 3 / H335<br>STOT SE 3 / H336<br>STOT RE 2 / H373<br>Asp. Tox. 1 / H304<br>Flam. Liq. 3 / H226 |    |

For full text of abbreviations: see SECTION 16.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

#### SECTION 4: First-aid measures

##### 4.1 Description of first- aid measures

###### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

###### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

###### Following skin contact

Wash with plenty of soap and water.

###### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

###### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

##### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

##### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### SECTION 5: Fire-fighting measures

##### 5.1 Extinguishing media

###### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

###### Unsuitable extinguishing media

Water jet

##### 5.2 Special hazards arising from the substance or mixture

###### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

##### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

#### SECTION 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

##### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

##### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

##### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### SECTION 7: Handling and storage

##### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

### 7.2 Conditions for safe storage, including any incompatibilities

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

This information is not available.

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

|                |                |
|----------------|----------------|
| Physical state | liquid         |
| Color          | various        |
| Odor           | characteristic |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

### Other safety parameters

|   |   |
|---|---|
| pH (value)                              | not determined                                |
| Melting point/freezing point            | not determined                                |
| Initial boiling point and boiling range | $\geq 146$ °C at 101.3 kPa                    |
| Flash point                             | not determined                                |
| Evaporation rate                        | not determined                                |
| Flammability (solid, gas)               | not relevant, (fluid)                         |
| Explosive limits                        | not determined                                |
| Vapor pressure                          | $\leq 3.7$ kPa at 37.8 °C                     |
| Density                                 | not determined                                |
| Vapor density                           | this information is not available             |
| Relative density                        | information on this property is not available |
| Solubility(ies)                         | not determined                                |

### Partition coefficient

|                             |                                   |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
| Auto-ignition temperature   |                                   |
| Viscosity                   | not determined                    |
| Explosive properties        | none                              |
| Oxidizing properties        | none                              |

### 9.2

#### Other information

there is no additional information



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

#### SECTION 10: Stability and reactivity

##### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

##### 10.2 Chemical stability

See below "Conditions to avoid".

##### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

##### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

##### 10.5 Incompatible materials

Oxidizers

##### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### SECTION 11: Toxicological information

##### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

###### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

###### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

###### Acute toxicity

Shall not be classified as acutely toxic.

###### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

###### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

###### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

###### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

###### Carcinogenicity

Shall not be classified as carcinogenic.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs (nervous system) through prolonged or repeated exposure.

| Hazard category | Target organ   | Exposure route |
|-----------------|----------------|----------------|
| 2               | nervous system | if exposed     |

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components of the mixture |             |          |          |                                     |               |
|---|-------------|----------|----------|-------------------------------------|---------------|
| Name of substance                                     | CAS No      | Endpoint | Value    | Species                             | Exposure time |
| Heavy aromatic naphtha                                | Proprietary | LC50     | 2 mg/l   | rainbow trout (Oncorhynchus mykiss) | 96 h          |
| Heavy aromatic naphtha                                | Proprietary | LC50     | 3 mg/l   | fathead minnow                      | 72 h          |
| Heavy aromatic naphtha                                | Proprietary | EC50     | 1.1 mg/l | water flea (Daphnia)                | 48 h          |
| Heavy aromatic naphtha                                | Proprietary | EC50     | 1.1 mg/l | algae                               | 96 h          |
| Heavy aromatic naphtha                                | Proprietary | LL50     | 5 mg/l   | fish                                | 96 h          |
| Heavy aromatic naphtha                                | Proprietary | EL50     | 1.4 mg/l | aquatic invertebrates               | 48 h          |

| Aquatic toxicity (chronic) of components of the mixture |             |          |           |                       |               |
|---|-------------|----------|-----------|-----------------------|---------------|
| Name of substance                                       | CAS No      | Endpoint | Value     | Species               | Exposure time |
| Heavy aromatic naphtha                                  | Proprietary | EL50     | 0.89 mg/l | aquatic invertebrates | 21 d          |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

- |      |  |   |
|------|--|---|
| 14.1 | UN number  | not assigned  |
| 14.2 | UN proper shipping name  | not assigned  |
| 14.3 | Transport hazard class(es)   | not assigned  |
| 14.4 | Packing group  | not assigned  |
| 14.5 | Environmental hazards  | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user                                       | There is no additional information.                                   |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | The cargo is not intended to be carried in bulk.                      |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

### Information for each of the UN Model Regulations

DOT

#### Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

#### International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

#### International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### National regulations (United States)

##### Toxic Substance Control Act (TSCA)

all ingredients are listed

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

##### Clean Air Act

none of the ingredients are listed

##### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance      | Name acc. to inventory | CAS No       | Functional-ity | Authoritative Lists |
|------------------------|------------------------|--------------|----------------|---------------------|
| Heavy aromatic naphtha |                        | Propriet-ary | solvents       |                     |

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

- Hazardous Substances List (MN-ERTK)  
none of the ingredients are listed
- Hazardous Substance List (NJ-RTK)  
none of the ingredients are listed
- Hazardous Substance List (Chapter 323) (PA-RTK)  
none of the ingredients are listed
- Hazardous Substance List (RI-RTK)  
none of the ingredients are listed

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category            | Rating | Description  |
|---------------------|--------|--|
| Chronic             | *      | chronic (long-term) health effects may result from repeated overexposure   |
| Health              | 0      | no significant risk to health  |
| Flammability        | 1      | material that must be preheated before ignition can occur  |
| Physical hazard     | 0      | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | -      |  |

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category       | Degree of hazard | Description   |
|----------------|------------------|---|
| Flammability   | 1                | material that must be preheated before ignition can occur   |
| Health         | 0                | material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material |
| Instability    | 0                | material that is normally stable, even under fire conditions  |
| Special hazard |                  |   |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

### National inventories

| Country | Inventory  | Status                         |
|---------|------------|--------------------------------|
| AU      | AICS       | all ingredients are listed     |
| CA      | DSL        | all ingredients are listed     |
| CN      | IECSC      | all ingredients are listed     |
| EU      | ECSI       | not all ingredients are listed |
| EU      | REACH Reg. | not all ingredients are listed |
| KR      | KECI       | all ingredients are listed     |
| MX      | INSQ       | all ingredients are listed     |
| NZ      | NZIoC      | all ingredients are listed     |
| PH      | PICCS      | all ingredients are listed     |
| TR      | CICR       | not all ingredients are listed |
| TW      | TCSI       | all ingredients are listed     |
| US      | TSCA       | all ingredients are listed     |

#### Legend

|            |   |
|------------|---|
| AICS       | Australian Inventory of Chemical Substances                             |
| CICR       | Chemical Inventory and Control Regulation                               |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value)                                    | Safety-relevant |
|---------|---------------------------|--|-----------------|
| 3.2     |                           | Description of the mixture:<br>change in the listing (table) | yes             |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

| Section | Former entry (text/value)                          | Actual entry (text/value)  | Safety-relevant |
|---------|--|--|-----------------|
| 9.2     | Other information                                  | other information:<br>there is no additional information                                     | yes             |
| 9.2     | Solvent content:<br>92.5 %                         |  | yes             |
| 9.2     | Solid content:<br>0 %                              |  | yes             |
| 11.1    |  | Acute toxicity estimate (ATE) of components of the mixture:<br>change in the listing (table) | yes             |
| 12.1    |  | Aquatic toxicity (acute) of components of the mixture:<br>change in the listing (table)      | yes             |
| 14.1    | UN number:<br>not subject to transport regulations | UN number:<br>not assigned   | yes             |

### Abbreviations and acronyms

| Abbr.         | Descriptions of used abbreviations   |
|---------------|--|
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation   |
| Asp. Tox.     | Aspiration hazard  |
| CAS           | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |
| DGR           | Dangerous Goods Regulations (see IATA/DGR)   |
| DOT           | Department of Transportation (USA)   |
| EC50          | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EINECS        | European Inventory of Existing Commercial Chemical Substances  |
| EL50          | Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms   |
| ELINCS        | European List of Notified Chemical Substances  |
| Flam. Liq.    | Flammable liquid   |
| GHS           | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IATA          | International Air Transport Association  |
| IATA/DGR      | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO          | International Civil Aviation Organization  |



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Certified A/C PRO Universal A/C UV Dye

Version number: 4.0  
Replaces version of: 2020-06-09 (3)

Revision: 2020-10-21

| Abbr.          | Descriptions of used abbreviations  |
|----------------|---|
| IMDG           | International Maritime Dangerous Goods Code   |
| LC50           | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LL50           | Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality  |
| MARPOL         | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")   |
| NLP            | No-Longer Polymer   |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition                                     |
| OSHA           | Occupational Safety and Health Administration (United States)   |
| PBT            | Persistent, Bioaccumulative and Toxic   |
| RTECS          | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)   |
| STOT RE        | Specific target organ toxicity - repeated exposure  |
| STOT SE        | Specific target organ toxicity - single exposure  |
| vPvB           | Very Persistent and very Bioaccumulative  |

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text  |
|------|---|
| H226 | Flammable liquid and vapor.   |
| H304 | May be fatal if swallowed and enters airways.                                       |
| H335 | May cause respiratory irritation.   |
| H336 | May cause drowsiness or dizziness.  |
| H373 | May cause damage to organs (nervous system) through prolonged or repeated exposure. |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.